

Package ‘JavaGD’

February 14, 2012

Version 0.5-5

Title Java Graphics Device

Author Simon Urbanek <Simon.UrbaneK@R-project.org>

Maintainer Simon Urbanek <Simon.UrbaneK@R-project.org>

Depends R (>= 2.4.0)

Suggests rJava (>= 0.5-0)

Description Graphics device routing all graphics commands to a Java program. The actual functionality of the JavaGD depends on the Java-side implementation. Simple AWT and Swing implementations are included.

License GPL-2 | GPL-3

URL <http://www.rforge.net/JavaGD/>

Repository CRAN

Date/Publication 2011-12-11 10:41:16

SystemRequirements GNU make

R topics documented:

JavaGD	2
Index	3

JavaGD

Create a new Java graphics device

Description

JavaGD initializes a new Java graphics device and creates a new window.

Usage

```
JavaGD(name="JavaGD", width=400, height=300, ps=12)
```

Arguments

name	Name of the device
width	Initial width of the window (usually in pixels, but the actual interpretation depends on the Java implementation)
height	Initial height of the window
ps	Initial point size

Value

Currently the return value is implementation dependent, mostly just the return code as returned by the low-level C function

Examples

```
## Not run:  
JavaGD()  
  
## End(Not run)
```

Index

*Topic **device**

JavaGD, [2](#)

JavaGD, [2](#)

javaGD (JavaGD), [2](#)