

Package ‘dclone’

February 8, 2012

Type Package

Title Data Cloning and MCMC Tools for Maximum Likelihood Methods

Version 1.7-1

Date 2012-01-31

Author Peter Solymos

Maintainer Peter Solymos <solymos@ualberta.ca>

Description Low level functions for implementing maximum likelihood estimating procedures for complex models using data cloning and Bayesian Markov chain Monte Carlo methods with support for JAGS, WinBUGS and OpenBUGS. Parallel MCMC computation is supported and can result in considerable speed-up.

License GPL-2

Depends R (>= 2.14.0), coda (>= 0.13), R2WinBUGS, parallel

Suggests MASS, lattice, rjags (>= 3-5), snow, rlecuyer

Imports stats

SystemRequirements JAGS (>= 3.0.0), WinBUGS (>= 1.4)

URL <http://cran.r-project.org/package=dclone>, <http://dcr.r-forge.r-project.org/>

LazyLoad yes

LazyData true

Repository CRAN

Date/Publication 2012-02-08 20:54:47

R topics documented:

dclone-package	2
bugs.fit	3
clusterSize	5
clusterSplitSB	6
codaSamples	8
dc.fit	9
dc.parfit	13
dclone	18
dcoptions	20
dctable	22
errlines	25
evalParallelArgument	26
jags.fit	27
jags.parfit	29
jagsModel	32
lambdamax.diag	33
make.symmetric	34
mclapplySB	35
mcmc.list-methods	36
mcmcapply	38
nclones	39
ovenbird	40
pairs.mcmc.list	41
parallel.inits	42
parCodaSamples	43
parJagsModel	45
parLoadModule	46
parSetFactory	47
parUpdate	48
regmod	49
snowWrapper	50
update.mcmc.list	52
write.jags.model	54
Index	57

dclone-package

Data Cloning

Description

Low level functions for implementing maximum likelihood estimating procedures for complex models using data cloning and Bayesian Markov chain Monte Carlo methods with support for JAGS, WinBUGS and OpenBUGS. Parallel MCMC computation is supported and can result in considerable speed-up.

Main functions include:

- `dclone`, `dcdim`: cloning R objects in various ways.
- `jags.fit`, `bugs.fit`: conveniently fit BUGS models. (`jags.parfit` fits chains on parallel workers for JAGS.)
- `dc.fit`: iterative model fitting by the data cloning algorithm. (`dc.parfit` is the parallelized version.)
- `dctable`, `dcdiag`: helps evaluating data cloning convergence by descriptive statistics and diagnostic tools. (These are based on e.g. `chisq.diag` and `lamdamax.diag`.)
- `coef.mcmc.list`, `confint.mcmc.list.dc`, `dcsd.mcmc.list`, `quantile.mcmc.list`, `vcov.mcmc.list.dc`, `mcmcapply`, `stack.mcmc.list`: methods for `mcmc.list` objects.
- `write.jags.model`, `clean.jags.model`, `custommodel`: convenient functions for handling BUGS models.
- `jagsModel`, `codaSamples`: basic functions from `rjags` package rewrote to recognize data cloning attributes from data (`parJagsModel`, `parUpdate`, `parCodaSamples` are the parallel versions).

Author(s)

Author: Peter Solymos

Maintainer: Peter Solymos, <solymos@ualberta.ca>

References

Solymos, P., 2010. dclone: Data Cloning in R. *The R Journal* **2**(2), 29–37. URL: http://journal.r-project.org/archive/2010-2/RJournal_2010-2_Solymos.pdf

Lele, S.R., B. Dennis and F. Lutscher, 2007. Data cloning: easy maximum likelihood estimation for complex ecological models using Bayesian Markov chain Monte Carlo methods. *Ecology Letters* **10**, 551–563.

Lele, S. R., K. Nadeem and B. Schmuland, 2010. Estimability and likelihood inference for generalized linear mixed models using data cloning. *Journal of the American Statistical Association* **105**, 1617–1625.

bugs.fit

Fit BUGS models with cloned data

Description

Convenient functions designed to work well with cloned data arguments and WinBUGS and OpenBUGS.

Usage

```
bugs.fit(data, params, model, inits = NULL,
         format = c("mcmc.list", "bugs"),
         program = c("winbugs", "openbugs"),
         seed = NULL, ...)
## S3 method for class 'bugs'
as.mcmc.list(x, ...)
```

Arguments

data	A list (or environment) containing the data.
params	Character vector of parameters to be sampled.
model	Character string (name of the model file), a function containing the model, or a custommodel object (see Examples).
inits	Optional specification of initial values in the form of a list or a function. If NULL, initial values will be generated automatically.
format	Required output format.
program	The program to use, not case sensitive. winbugs calls the function bugs , openbugs calls the function openbugs and requires the CRAN package BRugs .
seed	Random seed (bugs.seed argument for bugs , seed argument for openbugs).
x	A fitted 'bugs' object.
...	Further arguments of the bugs function, except for codaPkg are passed also, most notably the ones to set up burn-in, thin, etc. (see Details).

Value

By default, an `mcmc.list` object. If data cloning is used via the `data` argument, summary returns a modified summary containing scaled data cloning standard errors (scaled by $\sqrt{n.cloned}$), and R_{hat} values (as returned by [gelman.diag](#)).

`bugs.fit` can return a bugs object if `format = "bugs"`. In this case, summary is not changed, but the number of clones used is attached as attribute and can be retrieved by the function [nclones](#).

The function `as.mcmc.list.bugs` converts a 'bugs' object into 'mcmc.list' and retrieves data cloning information as well.

Author(s)

Peter Solymos, <solymos@ualberta.ca>

See Also

Underlying functions: [openbugs](#), [bugs](#)

Methods: [dcsd](#), [confint.mcmc.list.dc](#), [coef.mcmc.list](#), [quantile.mcmc.list](#), [vcov.mcmc.list.dc](#)

Examples

```
## Not run:
## fitting with WinBUGS, bugs example
if (.Platform$OS.type == "windows") {
  data(schools)
  dat <- list(J = nrow(schools),
            y = schools$estimate,
            sigma.y = schools$sd)
  bugs.model <- function(){
    for (j in 1:J){
      y[j] ~ dnorm (theta[j], tau.y[j])
    }
  }
}
```

```

        theta[j] ~ dnorm (mu.theta, tau.theta)
        tau.y[j] <- pow(sigma.y[j], -2)
    }
    mu.theta ~ dnorm (0.0, 1.0E-6)
    tau.theta <- pow(sigma.theta, -2)
    sigma.theta ~ dunif (0, 1000)
}
inits <- function(){
  list(theta=rnorm(nrow(schools), 0, 100), mu.theta=rnorm(1, 0, 100),
        sigma.theta=runif(1, 0, 100))
}
param <- c("mu.theta", "sigma.theta")
sim <- bugs.fit(dat, param, bugs.model, inits)
dat2 <- dclone(dat, 2, multiply="J")
sim2 <- bugs.fit(dat2, param, bugs.model)
## fitting the model with OpenBUGS
sim3 <- bugs.fit(dat2, param, bugs.model, program="openbugs", n.thin=1)
## fitting the model with JAGS
sim4 <- jags.fit(dat2, param, bugs.model)
}

## End(Not run)

```

clusterSize

Optimizing the number of workers

Description

These functions help in optimizing workload for the workers if problems are of different size.

Usage

```

clusterSize(size)
plotClusterSize(n, size,
  balancing = c("none", "load", "size", "both"),
  plot = TRUE, col = NA, xlim = NULL, ylim = NULL,
  main, ...)

```

Arguments

n	Number of workers.
size	Vector of problem sizes (recycled if needed). The default 1 indicates equality of problem sizes.
balancing	Character, type of balancing to perform, one of c("none", "load", "size", "both").
plot	Logical, if a plot should be drawn.
col	Color of the polygons for work load pieces.

xlim, ylim Limits for the x and the y axis, respectively (optional).
 main Title of the plot, can be missing.
 ... Other arguments passed to [polygon](#).

Details

These functions help determine the optimal number of workers needed for different sized problems ('size' indicates approximate processing time here). The number of workers needed depends on the type of balancing.

For the description of the balancing types, see [snowWrapper](#).

Value

clusterSize returns a data frame with approximate processing time as the function of the number of workers (rows, in 1:length(size)) and the type of balancing (c("none", "load", "size", "both")). Approximate processing time is calculated from values in size without taking into account any communication overhead.

plotClusterSize invisibly returns the total processing time needed for a setting given its arguments. As a side effect, a plot is produced (if plot = TRUE).

Author(s)

Peter Solymos, <solymos@ualberta.ca>

Examples

```
## determine the number of workers needed
clusterSize(1:5)
## visually compare balancing options
opar <- par(mfrow=c(2, 2))
plotClusterSize(2,1:5, "none")
plotClusterSize(2,1:5, "load")
plotClusterSize(2,1:5, "size")
plotClusterSize(2,1:5, "both")
par(opar)
```

clusterSplitSB	<i>Size balancing</i>
----------------	-----------------------

Description

Functions for size balancing.

Usage

```
clusterSplitSB(cl, seq, size = 1)
parLapplySB(cl, x, size = 1, fun, ...)
parLapplySLB(cl, x, size = 1, fun, ...)
```

Arguments

<code>cl</code>	A cluster object created by <code>makeCluster</code> in the package parallel (or snow).
<code>x</code> , <code>seq</code>	A vector to split.
<code>fun</code>	A function or character string naming a function.
<code>size</code>	Vector of problem sizes (approximate processing times) corresponding to elements of <code>seq</code> (recycled if needed). The default 1 indicates equality of problem sizes.
<code>...</code>	Other arguments of <code>fun</code> .

Details

`clusterSplitSB` splits `seq` into subsets, with respect to `size`. In size balancing, the problem is re-ordered from largest to smallest, and then subsets are determined by minimizing the total approximate processing time. This splitting is deterministic (reproducible).

`parLapplySB` and `parLapplySLB` evaluates `fun` on elements of `x` in parallel, similarly to `parLapply`. `parLapplySB` uses size balancing (via `clusterSplitSB`). `parLapplySLB` uses size and load balancing. This means that the problem is re-ordered from largest to smallest, and then undeterministic load balancing is used (see `clusterApplyLB`). If `size` is correct, this is identical to size balancing. This splitting is non-deterministic (might not be reproducible).

Value

`clusterSplitSB` returns a list of subsets splitted with respect to `size`.

`parLapplySB` and `parLapplySLB` evaluates `fun` on elements of `x`, and return a result corresponding to `x`. Usually a list with results returned by the cluster.

Author(s)

Peter Solymos, <solymos@ualberta.ca>

See Also

Related functions without size balancing: `clusterSplit`, `parLapply`.

Underlying functions: `clusterApply`, `clusterApplyLB`.

Optimizing the number of workers: `clusterSize`, `plotClusterSize`.

Examples

```
## Not run:
cl <- makePSOCKcluster(2)
## equal sizes, same as clusterSplit(cl, 1:5)
clusterSplitSB(cl, 1:5)
## different sizes
clusterSplitSB(cl, 1:5, 5:1)
x <- list(1, 2, 3, 4)
parLapplySB(cl, x, function(z) z^2, size=1:4)
stopCluster(cl)
```

```
## End(Not run)
```

```
codaSamples          Generate posterior samples in mcmc.list format
```

Description

This function sets a trace monitor for all requested nodes, updates the model and coerces the output to a single `mcmc.list` object. This function uses `coda.samples` but keeps track of data cloning information supplied via the `model` argument.

Usage

```
codaSamples(model, variable.names, n.iter, thin = 1, ...)
```

Arguments

<code>model</code>	a jags model object
<code>variable.names</code>	a character vector giving the names of variables to be monitored
<code>n.iter</code>	number of iterations to monitor
<code>thin</code>	thinning interval for monitors
<code>...</code>	optional arguments that are passed to the update method for jags model objects

Value

An `mcmc.list` object. An `n.clones` attribute is attached to the object, but unlike in `jags.fit` there is no `updated.model` attribute as it is equivalent to the input jags model object.

Author(s)

Peter Solymos, <solymos@ualberta.ca>

See Also

[coda.samples](#), [update.jags](#), [jags.model](#)
 Parallel version: [parCodaSamples](#)

Examples

```
## Not run:
model <- function() {
  for (i in 1:N) {
    Y[i] ~ dnorm(mu[i], tau)
    mu[i] <- alpha + beta * (x[i] - x.bar)
  }
  x.bar <- mean(x[])
}
```

```

    alpha ~ dnorm(0.0, 1.0E-4)
    beta ~ dnorm(0.0, 1.0E-4)
    sigma <- 1.0/sqrt(tau)
    tau ~ dgamma(1.0E-3, 1.0E-3)
  }
  ## data generation
  set.seed(1234)
  N <- 100
  alpha <- 1
  beta <- -1
  sigma <- 0.5
  x <- runif(N)
  linpred <- model.matrix(~x) %*% c(alpha, beta)
  Y <- rnorm(N, mean = linpred, sd = sigma)
  jdata <- dclone(list(N = N, Y = Y, x = x), 2, multiply="N")
  jpara <- c("alpha", "beta", "sigma")
  ## jags model
  res <- jagsModel(file=model, data=jdata, n.chains = 3, n.adapt=1000)
  nclones(res)
  update(res, n.iter=1000)
  nclones(res)
  m <- codaSamples(res, jpara, n.iter=2000)
  summary(m)
  nclones(m)

  ## End(Not run)

```

dc.fit

Iterative model fitting with data cloning

Description

[jags.fit](#) or [bugs.fit](#) is iteratively used to fit a model with increasing the number of clones.

Usage

```

dc.fit(data, params, model, inits, n.clones,
       multiply = NULL, unchanged = NULL,
       update = NULL, updatefun = NULL, initsfun = NULL,
       flavour = c("jags", "bugs"), n.chains = 3, ...)

```

Arguments

data	A named list (or environment) containing the data.
params	Character vector of parameters to be sampled. It can be a list of 2 vectors, 1st element is used as parameters to monitor, the 2nd is used as parameters to use in calculating the data cloning diagnostics.
model	Character string (name of the model file), a function containing the model, or a custommodel object (see Examples).

<code>inits</code>	Optional specification of initial values in the form of a list or a function (see Initialization at <code>jags.model</code>). If missing, will be treated as NULL and initial values will be generated automatically.
<code>n.clones</code>	An integer vector containing the numbers of clones to use iteratively.
<code>multiply</code>	Numeric or character index for list element(s) in the data argument to be multiplied by the number of clones instead of repetitions.
<code>unchanged</code>	Numeric or character index for list element(s) in the data argument to be left unchanged.
<code>update</code>	Numeric or character index for list element(s) in the data argument that has to be updated by <code>updatefun</code> in each iterations. This usually is for making priors more informative, and enhancing convergence. See Details and Examples.
<code>updatefun</code>	A function to use for updating <code>data[[update]]</code> . It should take an 'mcmc.list' object as 1st argument, 2nd argument can be the number of clones. See Details and Examples.
<code>initsfun</code>	A function to use for generating initial values, <code>inits</code> are updated by the object returned by this function from the second iteration. If initial values are not dependent on the previous iteration, this should be NULL, otherwise, it should take an 'mcmc.list' object as 1st argument, 2nd argument can be the number of clones. This feature is useful if latent nodes are provided in <code>inits</code> so it also requires to be cloned for subsequent iterations. See Details and Examples.
<code>flavour</code>	If "jags", the function <code>jags.fit</code> is called. If "bugs", the function <code>bugs.fit</code> is called.
<code>n.chains</code>	Number of chains to generate.
<code>...</code>	Other values supplied to <code>jags.fit</code> , or <code>bugs.fit</code> , depending on the flavour argument.

Details

The function fits a JAGS/BUGS model with increasing numbers of clones, as supplied by the argument `n.clones`. Data cloning is done by the function `dclone` using the arguments `multiply` and `unchanged`. An updating function can be provided, see Examples.

Value

An object inheriting from the class 'mcmc.list'.

Author(s)

Peter Solymos, <solymos@ualberta.ca>, implementation is based on many discussions with Khurram Nadeem and Subhash Lele.

References

Lele, S.R., B. Dennis and F. Lutscher, 2007. Data cloning: easy maximum likelihood estimation for complex ecological models using Bayesian Markov chain Monte Carlo methods. *Ecology Letters* **10**, 551–563.

Lele, S. R., K. Nadeem and B. Schmuland, 2010. Estimability and likelihood inference for generalized linear mixed models using data cloning. *Journal of the American Statistical Association* **105**, 1617–1625.

Solymos, P., 2010. dclone: Data Cloning in R. *The R Journal* **2(2)**, 29–37. URL: http://journal.r-project.org/archive/2010-2/RJournal_2010-2_Solymos.pdf

See Also

Data cloning: [dclone](#).

Parallel computations: [dc.parfit](#)

Model fitting: [jags.fit](#), [bugs.fit](#)

Convergence diagnostics: [dctable](#), [dcdiag](#)

Examples

```
## Not run:
## simulation for Poisson GLMM
set.seed(1234)
n <- 20
beta <- c(2, -1)
sigma <- 0.1
alpha <- rnorm(n, 0, sigma)
x <- runif(n)
X <- model.matrix(~x)
linpred <- X %*% beta + alpha
Y <- rpois(n, exp(linpred))
## JAGS model as a function
jfun1 <- function() {
  for (i in 1:n) {
    Y[i] ~ dpois(lambda[i])
    log(lambda[i]) <- alpha[i] + inprod(X[i,], beta)
    alpha[i] ~ dnorm(0, 1/sigma^2)
  }
  for (j in 1:np) {
    beta[j] ~ dnorm(0, 0.001)
  }
  sigma ~ dlnorm(0, 0.001)
}
## data
jdata <- list(n = n, Y = Y, X = X, np = NCOL(X))
## inits with latent variable and parameters
ini <- list(alpha=rep(0,n), beta=rep(0, NCOL(X)))
## function to update inits
ifun <- function(model, n.clones) {
  list(alpha=dclone(rep(0,n), n.clones),
        beta=coef(model)[-length(coef(model))])
}
## iterative fitting
jmod <- dc.fit(jdata, c("beta", "sigma"), jfun1, ini,
              n.clones = 1:5, multiply = "n", unchanged = "np",
              initsfun=ifun)
```

```

## summary with DC SE and R hat
summary(jmod)
dct <- dctable(jmod)
plot(dct)
## How to use estimates to make priors more informative?
glmm.model.up <- function() {
  for (i in 1:n) {
    Y[i] ~ dpois(lambda[i])
    log(lambda[i]) <- alpha[i] + inprod(X[i,], beta[1,])
    alpha[i] ~ dnorm(0, 1/sigma^2)
  }
  for (j in 1:p) {
    beta[1,j] ~ dnorm(priors[j,1], priors[j,2])
  }
  sigma ~ dgamma(priors[(p+1),2], priors[(p+1),1])
}
## function for updating, x is an MCMC object
upfun <- function(x) {
  if (missing(x)) {
    p <- ncol(X)
    return(cbind(c(rep(0, p), 0.001), rep(0.001, p+1)))
  } else {
    par <- coef(x)
    return(cbind(par, rep(0.01, length(par))))
  }
}
updat <- list(n = n, Y = Y, X = X, p = ncol(X), priors = upfun())
dcmo <- dc.fit(updat, c("beta", "sigma"), glmm.model.up,
  n.clones = 1:5, multiply = "n", unchanged = "p",
  update = "priors", updatefun = upfun)
summary(dcmo)
## time series example
## data and model taken from Ponciano et al. 2009
## Ecology 90, 356-362.
paurelia <- c(17,29,39,63,185,258,267,392,510,
  570,650,560,575,650,550,480,520,500)
dat <- list(ncl=1, n=length(paurelia), Y=dcDim(data.matrix(paurelia)))
beverton.holt <- function() {
  for (k in 1:ncl) {
    for(i in 2:(n+1)){
      ## observations
      Y[(i-1), k] ~ dpois(exp(X[i, k]))
      ## state
      X[i, k] ~ dnorm(mu[i, k], 1 / sigma^2)
      mu[i, k] <- X[(i-1), k] + log(lambda) - log(1 + beta * exp(X[(i-1), k]))
    }
    ## state at t0
    X[1, k] ~ dnorm(mu0, 1 / sigma^2)
  }
  # Priors on model parameters
  beta ~ dlnorm(-1, 1)
  sigma ~ dlnorm(0, 1)
  tmp ~ dlnorm(0, 1)
}

```

```

    lambda <- tmp + 1
    mu0 <- log(2) + log(lambda) - log(1 + beta * 2)
  }
mod <- dc.fit(dat, c("lambda","beta","sigma"), beverton.holt,
  n.clones=c(2, 5, 10), multiply="ncl", unchanged="n")
## compare with results from the paper:
## beta = 0.00235
## lambda = 2.274
## sigma = 0.1274
summary(mod)

## Using WinBUGS/OpenBUGS
if (.Platform$OS.type == "windows") {
data(schools)
dat <- list(J = nrow(schools), y = schools$estimate,
  sigma.y = schools$sd)
bugs.model <- function(){
  for (j in 1:J){
    y[j] ~ dnorm (theta[j], tau.y[j])
    theta[j] ~ dnorm (mu.theta, tau.theta)
    tau.y[j] <- pow(sigma.y[j], -2)
  }
  mu.theta ~ dnorm (0.0, 1.0E-6)
  tau.theta <- pow(sigma.theta, -2)
  sigma.theta ~ dunif (0, 1000)
}
inits <- function(){
  list(theta=rnorm(nrow(schools), 0, 100), mu.theta=rnorm(1, 0, 100),
    sigma.theta=runif(1, 0, 100))
}
param <- c("mu.theta", "sigma.theta")
sim2 <- dc.fit(dat, param, bugs.model, n.clones=1:2,
  flavour="bugs", program="WinBUGS", multiply="J")
sim3 <- dc.fit(dat, param, bugs.model, n.clones=1:2,
  flavour="bugs", program="OpenBUGS", multiply="J")
}

## End(Not run)

```

dc.parfit

Parallel model fitting with data cloning

Description

Iterative model fitting on parallel workers with different numbers of clones.

Usage

```
dc.parfit(cl, data, params, model, inits, n.clones,
  multiply=NULL, unchanged=NULL,
```

```
update = NULL, updatefun = NULL, initsfun = NULL,
flavour = c("jags", "bugs"), n.chains = 3,
partype=c("balancing", "parchains", "both"), ...)
```

Arguments

cl	A cluster object created by makeCluster , or an integer. It can also be NULL, see snowWrapper .
data	A named list (or environment) containing the data.
params	Character vector of parameters to be sampled. It can be a list of 2 vectors, 1st element is used as parameters to monitor, the 2nd is used as parameters to use in calculating the data cloning diagnostics. (partype = "both" currently cannot handle params as list.)
model	Character string (name of the model file), a function containing the model, or a or custommodel object (see Examples).
inits	Optional specification of initial values in the form of a list or a function (see Initialization at jags.model). If missing, will be treated as NULL and initial values will be generated automatically. If this is a function, it must be self containing, i.e. not having references to R objects outside of the function, or the objects should be exported with clusterExport before calling <code>dc.parfit</code> .
n.clones	An integer vector containing the numbers of clones to use iteratively.
multiply	Numeric or character index for list element(s) in the data argument to be multiplied by the number of clones instead of repetitions.
unchanged	Numeric or character index for list element(s) in the data argument to be left unchanged.
update	Numeric or character index for list element(s) in the data argument that has to be updated by updatefun in each iterations. This usually is for making priors more informative, and enhancing convergence. This argument is ignored if size balancing is used (default), and not ignored when multiple parallel chains are used.
updatefun	A function to use for updating data[[update]]. It should take an 'mcmc.list' object as 1st argument, 2nd argument can be the number of clones. This argument is ignored if size balancing is used (default), and not ignored when multiple parallel chains are used.
initsfun	A function to use for generating initial values, inits are updated by the object returned by this function from the second iteration. If initial values are not dependent on the previous iteration, this should be NULL, otherwise, it should take an 'mcmc.list' object as 1st argument, 2nd argument can be the number of clones. This feature is useful if latent nodes are provided in inits so it also requires to be cloned for subsequent iterations. The 1st argument of the initsfun function is ignored if partype != "parchains" but the function must have a first argument regardless, see Examples.
flavour	If "jags", the function jags.fit is called. If "bugs", the function bugs.fit is called (available with partype = "balancing" only). See Details.
partype	Type of parallel workload distribution, see Details.

n.chains	Number of chains to generate.
...	Other values supplied to <code>jags.fit</code> , or <code>bugs.fit</code> , depending on the flavour argument.

Details

The `dc.parfit` is a parallel computing version of `dc.fit`. After parallel computations, temporary objects passed to workers and the `dclone` package is cleaned up. It is not guaranteed that objects already on the workers and independently loaded packages are not affected. Best to start new instances beforehand.

`partype="balancing"` distributes each model corresponding to values in `n.clones` as jobs to workers according to size balancing (see `snowWrapper`). `partype="parchains"` makes repeated calls to `jags.parfit` for each value in `n.clones`. `partype="both"` also calls `jags.parfit` but each chain of each cloned model is distributed as separate job to the workers.

The vector `n.clones` is used to determine size balancing. If load balancing is also desired besides of size balancing (e.g. due to unequal performance of the workers, the option `"dclone.LB"` should be set to TRUE (by using `options("dclone.LB" = TRUE)`). By default, the `"dclone.LB"` option is FALSE for reproducibility reasons.

Some arguments from `dc.fit` are not available in parallel version (`update`, `updatefun`, `initsfun`) when size balancing is used (`partype` is `"balancing"` or `"both"`). These arguments are evaluated only when `partype="parchains"`.

Size balancing is recommended if `n.clones` is a relatively long vector, while parallel chains might be more efficient when `n.clones` has few elements. For efficiency reasons, a combination of the two (`partype="both"`) is preferred if cluster size allows it.

Only `partype="balancing"` is available for `flavour="bugs"`.

Additionally loaded JAGS modules (e.g. `"glm"`) need to be loaded to the workers.

Value

An object inheriting from the class `'mcmc.list'`.

Author(s)

Peter Solymos, <solymos@ualberta.ca>

References

Lele, S.R., B. Dennis and F. Lutscher, 2007. Data cloning: easy maximum likelihood estimation for complex ecological models using Bayesian Markov chain Monte Carlo methods. *Ecology Letters* **10**, 551–563.

Lele, S. R., K. Nadeem and B. Schmuland, 2010. Estimability and likelihood inference for generalized linear mixed models using data cloning. *Journal of the American Statistical Association* **105**, 1617–1625.

Solymos, P., 2010. dclone: Data Cloning in R. *The R Journal* **2(2)**, 29–37. URL: http://journal.r-project.org/archive/2010-2/RJournal_2010-2_Solymos.pdf

See Also

Sequential version: [dc.fit](#).

Optimizing the number of workers: [clusterSize](#), [plotClusterSize](#).

Underlying functions: [jags.fit](#), [bugs.fit](#).

Examples

```
## Not run:
set.seed(1234)
n <- 20
x <- runif(n, -1, 1)
X <- model.matrix(~x)
beta <- c(2, -1)
mu <- X %*% beta
Y <- rpois(n, exp(mu))
glm.model <- function() {
  for (i in 1:n) {
    Y[i] ~ dpois(lambda[i])
    log(lambda[i]) <- inprod(X[i,], beta[1,])
  }
  for (j in 1:np) {
    beta[1,j] ~ dnorm(0, 0.001)
  }
}
dat <- list(Y=Y, X=X, n=n, np=ncol(X))
k <- 1:3
## sequential version
dcm <- dc.fit(dat, "beta", glm.model, n.clones=k, multiply="n",
  unchanged="np")
## parallel version with snow
cl <- makePSOCKcluster(3)
pdc1 <- dc.parfit(cl, dat, "beta", glm.model, n.clones=k,
  multiply="n", unchanged="np",
  partype="balancing")
pdc2 <- dc.parfit(cl, dat, "beta", glm.model, n.clones=k,
  multiply="n", unchanged="np",
  partype="parchains")
pdc3 <- dc.parfit(cl, dat, "beta", glm.model, n.clones=k,
  multiply="n", unchanged="np",
  partype="both")
summary(dcm)
summary(pdc1)
summary(pdc2)
summary(pdc3)
stopCluster(cl)
## multicore type forking
if (.Platform$OS.type != "windows") {
mcd1 <- dc.parfit(3, dat, "beta", glm.model, n.clones=k,
  multiply="n", unchanged="np",
  partype="balancing")
mcd2 <- dc.parfit(3, dat, "beta", glm.model, n.clones=k,
```

```

        multiply="n", unchanged="np",
        partype="parchains")
mcdcm3 <- dc.parfit(3, dat, "beta", glm.model, n.clones=k,
  multiply="n", unchanged="np",
  partype="both")
}

## Using WinBUGS/OpenBUGS
if (.Platform$OS.type == "windows") {
data(schools)
dat <- list(J = nrow(schools), y = schools$estimate,
  sigma.y = schools$sd)
bugs.model <- function(){
  for (j in 1:J){
    y[j] ~ dnorm (theta[j], tau.y[j])
    theta[j] ~ dnorm (mu.theta, tau.theta)
    tau.y[j] <- pow(sigma.y[j], -2)
  }
  mu.theta ~ dnorm (0.0, 1.0E-6)
  tau.theta <- pow(sigma.theta, -2)
  sigma.theta ~ dunif (0, 1000)
}
inits <- function(){
  list(theta=rnorm(nrow(schools), 0, 100), mu.theta=rnorm(1, 0, 100),
    sigma.theta=runif(1, 0, 100))
}
param <- c("mu.theta", "sigma.theta")
cl <- makePSOCKcluster(2)
sim2 <- dc.parfit(cl, dat, param, bugs.model, n.clones=1:2,
  flavour="bugs", program="WinBUGS", multiply="J")
sim3 <- dc.parfit(cl, dat, param, bugs.model, n.clones=1:2,
  flavour="bugs", program="OpenBUGS", multiply="J")
stopCluster(cl)
}

## simulation for Poisson GLMM with inits
set.seed(1234)
n <- 5
beta <- c(2, -1)
sigma <- 0.1
alpha <- rnorm(n, 0, sigma)
x <- runif(n)
X <- model.matrix(~x)
linpred <- X %*% beta + alpha
Y <- rpois(n, exp(linpred))
## JAGS model as a function
jfun1 <- function() {
  for (i in 1:n) {
    Y[i] ~ dpois(lambda[i])
    log(lambda[i]) <- alpha[i] + inprod(X[i,], beta)
    alpha[i] ~ dnorm(0, 1/sigma^2)
  }
  for (j in 1:np) {

```

```

        beta[j] ~ dnorm(0, 0.001)
    }
    sigma ~ dlnorm(0, 0.001)
}
## data
jdata <- list(n = n, Y = Y, X = X, np = NCOL(X))
## inits with latent variable and parameters
ini <- list(alpha=rep(0,n), beta=rep(0, NCOL(X)))
## model arg is necessary as 1st arg,
## but not used when partype!=parchains
ifun <-
function(model, n.clones) {
  list(alpha=dclone(rep(0,n), n.clones),
        beta=c(0,0))
}
## make cluster
cl <- makePSOCKcluster(2)
## pass global n variable used in ifun to workers
tmp <- clusterExport(cl, "n")
## fit the model
jmod2 <- dc.parfit(cl, jdata, c("beta", "sigma"), jfun1, ini,
  n.clones = 1:2, multiply = "n", unchanged = "np",
  initsfun=ifun, partype="balancing")
stopCluster(cl)

## End(Not run)

```

dclone

Cloning R objects

Description

Makes clones of R objects, that is values in the object are repeated n times, leaving the original structure of the object intact (in most of the cases).

Usage

```

dclone(x, n.clones=1, ...)
## Default S3 method:
dclone(x, n.clones = 1, attrib=TRUE, ...)
## S3 method for class 'dcdim'
dclone(x, n.clones = 1, attrib=TRUE, ...)
## S3 method for class 'list'
dclone(x, n.clones = 1,
  multiply = NULL, unchanged = NULL, attrib=TRUE, ...)
## S3 method for class 'environment'
dclone(x, n.clones = 1,
  multiply = NULL, unchanged = NULL, attrib=TRUE, ...)
dcdim(x, drop = TRUE, perm = NULL)

```

Arguments

<code>x</code>	An R object to be cloned, or a cloned object to print.
<code>n.clones</code>	Number of clones.
<code>multiply</code>	Numeric or character index for list element(s) to be multiplied by <code>n.clones</code> instead of repetitions (as done by <code>dclone.default</code>).
<code>unchanged</code>	Numeric or character index for list element(s) to be left unchanged.
<code>attrib</code>	Logical, TRUE if attributes are to be attached.
<code>drop</code>	Logical, if TRUE, deletes the last dimension of an array if that have only one level.
<code>perm</code>	The subscript permutation value, if the cloning dimension is not the last.
<code>...</code>	Other arguments passed to function.

Details

`dclone` is a generic function for cloning objects. It is separate from `rep`, because there are different ways of cloning, depending on the BUGS code implementation:

- (1) Unchanged: no cloning at all (fo e.g. constants).
- (2) Repeat: this is the most often used cloning method, repeating the observations as if there were more samples.
- (3) Multiply: sometimes it is enough to multiply the numbers (e.g. for Binomial distribution).
- (4) Add dimension: under specific circumstances, it is easier to add another dimension for clones, but otherwise repeat the observations (e.g. in case of time series, or for addressing special indexing conventions in the BUGS code, see examples `dcdim` and `dclone.dcdim`).

Value

An object with class attributes "`dclone`" plus the original one(s). Dimensions of the original object might change according to `n.clones`. The function tries to take care of names, sometimes replacing those with the combination of the original names and an integer for number of clones.

`dcdim` sets the class attribute of an object to "`dcdim`", thus `dclone` will clone the object by adding an extra dimension for the clones.

Lists (i.e. BUGS data objects) are handled differently to enable element specific determination of the mode of cloning. This can be done via the `unchanged` and `multiply` arguments, or by setting the behaviour by the `dcdim` function.

Environments are coerced into a list, and return value is identical to `dclone(as.list(x), ...)`.

Author(s)

Peter Solymos, <solymos@ualberta.ca>, implementation is based on many discussions with Khurram Nadeem and Subhash Lele.

References

Lele, S.R., B. Dennis and F. Lutscher, 2007. Data cloning: easy maximum likelihood estimation for complex ecological models using Bayesian Markov chain Monte Carlo methods. *Ecology Letters* **10**, 551–563.

Lele, S. R., K. Nadeem and B. Schmuland, 2010. Estimability and likelihood inference for generalized linear mixed models using data cloning. *Journal of the American Statistical Association* **105**, 1617–1625.

Solymos, P., 2010. dclone: Data Cloning in R. *The R Journal* **2(2)**, 29–37. URL: http://journal.r-project.org/archive/2010-2/RJournal_2010-2_Solymos.pdf

Examples

```
## scalar
dclone(4, 2)
## vector
(x <- 1:6)
dclone(x, 2)
## matrix
(m <- matrix(x, 2, 3))
dclone(m, 2)
## data frame
(dfr <- as.data.frame(t(m)))
dclone(dfr, 2)
## list
(l <- list(n = 10, y = 1:10, x = 1:10, p = 1))
dclone(l, 2)
dclone(as.environment(l), 2)
dclone(l, 2, attrib = FALSE)
dclone(l, 2, multiply = "n", unchanged = "p")
## effect of dcdim
l$y <- dcdim(l$y)
dclone(l, 2, multiply = "n", unchanged = "p")
## time series like usage of dcdim
z <- data.matrix(rnorm(10))
dclone(dcdim(z), 2)
```

dcoptions

Setting Options

Description

Setting options.

Usage

```
dcoptions(...)
```

Arguments

... Arguments in tag = value form, or a list of tagged values. The tags must come from the parameters described below.

Details

dcoptions is a convenient way of handling options related to the package.

Value

When parameters are set by dcoptions, their former values are returned in an invisible named list. Such a list can be passed as an argument to dcoptions to restore the parameter values. Tags are the following:

autoburnin	logical, to use in gelman.diag (default is TRUE).
diag	critical value to use for data cloning convergence diagnostics, default is 0.05.
LB	logical, should load balancing be used, default is FALSE.
overwrite	logical, should existing model file be overwritten, default is TRUE.
rhat	critical value for testing chain convergence, default is 1.1.
RNG	parallel RNG type, either "none" (default), "RNGstream" or "SPRNG", see clusterSetupRNG .
verbose	integer, should output be verbose (>0) or not (0), default is 1.

Author(s)

Peter Solymos, <solymos@ualberta.ca>

Examples

```
## set LB option, but store old value
ov <- dcoptions("LB"=TRUE)
## this is old value
ov
## this is new value
getOption("dcoptions")
## reset to old value
dcoptions(ov)
## check reset
getOption("dcoptions")
```

dctable	<i>Retrieve descriptive statistics from fitted objects to evaluate convergence</i>
---------	--

Description

The function is used to retrieve descriptive statistics from fitted objects on order to evaluate convergence of the data cloning algorithm. This is best done via visual display of the results, separately for each parameters of interest.

Usage

```
dctable(x, ...)
## Default S3 method:
dctable(x, ...)
## S3 method for class 'dctable'
plot(x, which = 1:length(x),
     type = c("all", "var", "log.var"),
     position = "topright", box.cex = 0.75, box.bg, ...)
extractdctable(x, ...)
## Default S3 method:
extractdctable(x, ...)

dcdiag(x, ...)
## Default S3 method:
dcdiag(x, ...)
## S3 method for class 'dcdiag'
plot(x, which = c("all", "lambda.max",
                 "ms.error", "r.squared", "log.lambda.max"),
     position = "topright", ...)
extractdcdiag(x, ...)
## Default S3 method:
extractdcdiag(x, ...)
```

Arguments

<code>x</code>	An MCMC or a 'dctable' object.
<code>...</code>	Optionally more fitted model objects for function <code>dctable</code> .
<code>which</code>	What to plot. For <code>dctable</code> , character names or integer indices of the estimated parameters are accepted. for <code>dcdiag</code> it should be one of <code>c("all", "lambda.max", "ms.error", "r.squared")</code> .
<code>type</code>	Type of plot to be drawn. See Details.
<code>position</code>	Position for the legend, as for legend .
<code>box.cex</code>	Scaling factor for the interquartile boxes.
<code>box.bg</code>	Background color for the interquartile boxes.

Details

dctable returns the "dctable" attribute of the MCMC object, or if it is NULL, calculates the dctable summaries. If more than one fitted objects are provided, summaries are calculated for all objects, and results are ordered by the number of clones.

The plot method for dctable helps in graphical representation of the descriptive statistics. type = "all" results in plotting means, standard deviations and quantiles against the number of clones as boxplot. type = "var" results in plotting the scaled variances against the number of clones. In this case variances are divided by the variance of the model with smallest number of clones, min(n.clones). type = "log.var" is the same as "var", but on the log scale. Along with the values, the min(n.clones) / n.clones line is plotted for reference.

Lele et al. (2010) introduced diagnostic measures for checking the convergence of the data cloning algorithm which are based on the joint posterior distribution and not only on single parameters. These include to calculate the largest eigenvalue of the posterior variance covariance matrix (lambda.max as returned by `lambdamax.diag`), or to calculate mean squared error (ms.error) and another correlation-like fit statistic (r.squared) based on a Chi-squared approximation (as returned by `chisq.diag`). The maximum eigenvalue reflects the degenerateness of the posterior distribution, while the two fit measures reflect if the Normal approximation is adequate. All three statistics should converge to zero as the number of clones increases. If this happens, different prior specifications are no longer influencing the results (Lele et al., 2007, 2010). These are conveniently collected by the `dcdiag` function.

IMPORTANT! Have you checked if different prior specifications lead to the same results?

Value

An object of class 'dctable'. It is a list, and contains as many data frames as the number of parameters in the fitted object. Each data frame contains descriptives as the function of the number of clones.

`dcdiag` returns a data frame with convergence diagnostics.

The plot methods produce graphs as side effect.

Author(s)

Peter Solymos, <solymos@ualberta.ca>, implementation is based on many discussions with Khuram Nadeem and Subhash Lele.

References

Lele, S.R., B. Dennis and F. Lutscher, 2007. Data cloning: easy maximum likelihood estimation for complex ecological models using Bayesian Markov chain Monte Carlo methods. *Ecology Letters* **10**, 551–563.

Lele, S. R., K. Nadeem and B. Schmuland, 2010. Estimability and likelihood inference for generalized linear mixed models using data cloning. *Journal of the American Statistical Association* **105**, 1617–1625.

Solymos, P., 2010. dclone: Data Cloning in R. *The R Journal* **2(2)**, 29–37. URL: http://journal.r-project.org/archive/2010-2/RJournal_2010-2_Solymos.pdf

See Also

Data cloning: [dclone](#)

Model fitting: [jags.fit](#), [bugs.fit](#), [dc.fit](#)

Examples

```
## Not run:
## simulation for Poisson GLMM
set.seed(1234)
n <- 20
beta <- c(2, -1)
sigma <- 0.1
alpha <- rnorm(n, 0, sigma)
x <- runif(n)
X <- model.matrix(~x)
linpred <- X %*% beta + alpha
Y <- rpois(n, exp(linpred))
## JAGS model as a function
jfun1 <- function() {
  for (i in 1:n) {
    Y[i] ~ dpois(lambda[i])
    log(lambda[i]) <- alpha[i] + inprod(X[i,], beta[1,])
    alpha[i] ~ dnorm(0, 1/sigma^2)
  }
  for (j in 1:np) {
    beta[1,j] ~ dnorm(0, 0.001)
  }
  sigma ~ dlnorm(0, 0.001)
}
## data
jdata <- list(n = n, Y = Y, X = X, np = NCOL(X))
## number of clones to be used, etc.
## iterative fitting
jmod <- dc.fit(jdata, c("beta", "sigma"), jfun1,
  n.clones = 1:5, multiply = "n", unchanged = "np")
## summary with DC SE and R hat
summary(jmod)
dct <- dctable(jmod)
plot(dct)
## How to use estimates to make priors more informative?
glmm.model.up <- function() {
  for (i in 1:n) {
    Y[i] ~ dpois(lambda[i])
    log(lambda[i]) <- alpha[i] + inprod(X[i,], beta[1,])
    alpha[i] ~ dnorm(0, 1/sigma^2)
  }
  for (j in 1:p) {
    beta[1,j] ~ dnorm(priors[j,1], priors[j,2])
  }
  sigma ~ dgamma(priors[(p+1),2], priors[(p+1),1])
}
## function for updating, x is an MCMC object
```

```

upfun <- function(x) {
  if (missing(x)) {
    p <- ncol(X)
    return(cbind(c(rep(0, p), 0.001), rep(0.001, p+1)))
  } else {
    par <- coef(x)
    return(cbind(par, rep(0.01, length(par))))
  }
}
updat <- list(n = n, Y = Y, X = X, p = ncol(X), priors = upfun())
dcmud <- dc.fit(updat, c("beta", "sigma"), glmm.model.up,
  n.clones = 1:5, multiply = "n", unchanged = "p",
  update = "priors", updatefun = upfun)
summary(dcmud)
dct <- dctable(dcmud)
plot(dct)
plot(dct, type = "var")

## End(Not run)

```

errlines

*Plot error bars***Description**

The function plots error bars to existing plot.

Usage

```

errlines(x, ...)
## Default S3 method:
errlines(x, y, type = "l", code = 0,
  width = 0, vertical = TRUE, col = 1, bg = NA, ...)

```

Arguments

x	Numeric vector with coordinates along the horizontal axis (if <code>vertical = FALSE</code> , this sets the vertical axis).
y	A matrix-like object with 2 columns for lower and upper values on the vertical axis (if <code>vertical = FALSE</code> , this sets the horizontal axis).
type	Character, "l" for lines, "b" for boxes to be drawn.
code	Integer code, determining the kind of ticks to be drawn. See Details.
width	Numeric, width of the ticks (if <code>type = "l"</code>) or width of the boxes (if <code>type = "b"</code>).
vertical	Logical, if errorbars should be plotted vertically or horizontally.
col	Color of the error lines to be drawn, recycled if needed.
bg	If <code>type = "b"</code> the background color of the boxes. By default, no background color used.
...	Other arguments passed to the function lines .

Details

The `errlines` function uses `lines` to draw error bars to existing plot when `type = "l"`. `polygon` is used for boxes when `type = "b"`.

If `code = 0` no ticks are drawn, if `code = 1`, only lower ticks are drawn, if `code = 2` only lower ticks are drawn, if `code = 3` both lower and upper ticks are drawn.

Value

Adds error bars to an existing plot as a side effect. Returns NULL invisibly.

Author(s)

Peter Solymos, <solymos@ualberta.ca>

See Also

`lines`, `polygon`

Examples

```
x <- 1:10
a <- rnorm(10,10)
a <- a[order(a)]
b <- runif(10)
y <- cbind(a-b, a+b+rev(b))
opar <- par(mfrow=c(2, 3))
plot(x, a, ylim = range(y))
errlines(x, y)
plot(x, a, ylim = range(y))
errlines(x, y, width = 0.5, code = 1)
plot(x, a, ylim = range(y), col = 1:10)
errlines(x, y, width = 0.5, code = 3, col = 1:10)
plot(x, a, ylim = range(y))
errlines(x, y, width = 0.5, code = 2, type = "b")
plot(x, a, ylim = range(y))
errlines(x, y, width = 0.5, code = 3, type = "b")
plot(x, a, ylim = range(y), type = "n")
errlines(x, y, width = 0.5, code = 3, type = "b", bg = 1:10)
errlines(x, cbind(a-b/2, a+b/2+rev(b)/2))
points(x, a)
par(opar)
```

evalParallelArgument *Evaluates parallel argument*

Description

Evaluates parallel argument.

Usage

```
evalParallelArgument(c1, quit = FALSE)
```

Arguments

<code>c1</code>	NULL, a cluster object or an integer. Can be missing.
<code>quit</code>	Logical, whether it should stop with error when ambiguous parallel definition is found (conflicting default environmental variable settings).

Value

NULL for sequential evaluation or the original value of `c1` if parallel evaluation is meaningful.

Author(s)

Peter Solymos, <solymos@ualberta.ca>

Examples

```
evalParallelArgument()  
evalParallelArgument(NULL)  
evalParallelArgument(1)  
evalParallelArgument(2)  
c1 <- makePSOCKcluster(2)  
evalParallelArgument(c1)  
stopCluster(c1)  
oop <- options("mc.cores"=2)  
evalParallelArgument()  
options(oop)
```

jags.fit

Fit JAGS models with cloned data

Description

Convenient functions designed to work well with cloned data arguments and JAGS.

Usage

```
jags.fit(data, params, model, inits = NULL, n.chains = 3,  
         n.adapt = 1000, n.update = 1000, thin = 1, n.iter = 5000,  
         updated.model = TRUE, ...)
```

Arguments

<code>data</code>	A named list or environment containing the data. If an environment, data is coerced into a list.
<code>params</code>	Character vector of parameters to be sampled.
<code>model</code>	Character string (name of the model file), a function containing the model, or a or <code>custommodel</code> object (see Examples).
<code>inits</code>	Optional specification of initial values in the form of a list or a function (see Initialization at <code>jags.model</code>). If NULL, initial values will be generated automatically. It is an error to supply an initial value for an observed node.
<code>n.chains</code>	Number of chains to generate.
<code>n.adapt</code>	Number of steps for adaptation.
<code>n.update</code>	Number of updates before iterations. It is usually a bad idea to use <code>n.update=0</code> if <code>n.adapt>0</code> , so a warning is issued in such cases.
<code>thin</code>	Thinning value.
<code>n.iter</code>	Number of iterations.
<code>updated.model</code>	Logical, if the updated model should be attached as attribute (this can be used to further update if convergence was not satisfactory, see <code>updated.model</code> and <code>update.mcmc.list</code>).
<code>...</code>	Further arguments passed to <code>coda.samples</code> , and <code>update.jags</code> (e.g. the <code>progress.bar</code> argument).

Value

An `mcmc.list` object. If data cloning is used via the `data` argument, `summary` returns a modified summary containing scaled data cloning standard errors (scaled by $\sqrt{n.clones}$), see `dcsd`, and R_{hat} values (as returned by `gelman.diag`).

Author(s)

Peter Solymos, <solymos@ualberta.ca>

See Also

Underlying functions: `jags.model`, `update.jags`, `coda.samples`

Parallel chain computations: `jags.parfit`

Methods: `dcsd`, `confint.mcmc.list.dc`, `coef.mcmc.list`, `quantile.mcmc.list`, `vcov.mcmc.list.dc`

Examples

```
## Not run:
## simple regression example from the JAGS manual
jfun <- function() {
  for (i in 1:N) {
    Y[i] ~ dnorm(mu[i], tau)
    mu[i] <- alpha + beta * (x[i] - x.bar)
  }
}
```

```

    x.bar <- mean(x[])
    alpha ~ dnorm(0.0, 1.0E-4)
    beta ~ dnorm(0.0, 1.0E-4)
    sigma <- 1.0/sqrt(tau)
    tau ~ dgamma(1.0E-3, 1.0E-3)
  }
  ## data generation
  set.seed(1234)
  N <- 100
  alpha <- 1
  beta <- -1
  sigma <- 0.5
  x <- runif(N)
  linpred <- model.matrix(~x) %*% c(alpha, beta)
  Y <- rnorm(N, mean = linpred, sd = sigma)
  ## list of data for the model
  jdata <- list(N = N, Y = Y, x = x)
  ## what to monitor
  jpara <- c("alpha", "beta", "sigma")
  ## fit the model with JAGS
  regmod <- jags.fit(jdata, jpara, jfun, n.chains = 3)
  ## model summary
  summary(regmod)
  ## data cloning
  dcdata <- dclone(jdata, 5, multiply = "N")
  dcmmod <- jags.fit(dcdata, jpara, jfun, n.chains = 3)
  summary(dcmmod)

  ## End(Not run)

```

jags.parfit

Parallel computing with JAGS

Description

Do the same job as `jags.fit`, but parallel chains are run on parallel workers, thus computations can be faster (up to $1/n.chains$) for long MCMC runs.

Usage

```
jags.parfit(cl, data, params, model, inits = NULL, n.chains = 3, ...)
```

Arguments

- | | |
|---------------------|---|
| <code>cl</code> | A cluster object created by <code>makeCluster</code> , or an integer. It can also be NULL, see <code>snowWrapper</code> . |
| <code>data</code> | A named list or environment containing the data. If an environment, data is coerced into a list. |
| <code>params</code> | Character vector of parameters to be sampled. |

<code>model</code>	Character string (name of the model file), a function containing the model, or a or <code>custommodel</code> object (see Examples).
<code>inits</code>	Specification of initial values in the form of a list or a function, can be missing. Missing value setting can include RNG seed information, see Initialization at <code>jags.model</code> . If this is a function and using 'snow' type cluster as <code>c1</code> , the function must be self containing, i.e. not having references to R objects outside of the function, or the objects should be exported with <code>clusterExport</code> before calling <code>jags.parfit</code> . FORking type parallelism does not require such attention.
<code>n.chains</code>	Number of chains to generate, must be higher than 1. Ideally, this is equal to the number of parallel workers in the cluster.
<code>...</code>	Other arguments passed to <code>jags.fit</code> .

Details

Chains are run on parallel workers, and the results are combined in the end.

After parallel computations, temporary objects passed to workers and the `dclone` package is cleaned up. It is not guaranteed that objects already on the workers and independently loaded packages are not affected. Best to start new instances beforehand if `c1` argument is a 'snow' type cluster.

No update method is available for parallel `mcmc.list` objects. See `parUpdate` and related parallel functions (`parJagsModel`, `parCodaSamples`) for such purpose.

Additionally loaded JAGS modules (e.g. "glm", "lecuyer") need to be loaded to the workers when using 'snow' type cluster as `c1` argument. See Examples.

The use of the "lecuyer" module is recommended when running more than 4 chains. See Examples and `parallel.inits`.

Value

An `mcmc.list` object.

Author(s)

Peter Solymos, <solymos@ualberta.ca>

See Also

Sequential version: `jags.fit`

Function for stepwise modeling with JAGS: `parJagsModel`, `parUpdate`, `parCodaSamples`

Examples

```
## Not run:
set.seed(1234)
n <- 20
x <- runif(n, -1, 1)
X <- model.matrix(~x)
beta <- c(2, -1)
mu <- X %*% beta
Y <- rpois(n, exp(mu))
```

```

glm.model <- function() {
  for (i in 1:n) {
    Y[i] ~ dpois(lambda[i])
    log(lambda[i]) <- inprod(X[i,], beta[1,])
  }
  for (j in 1:np) {
    beta[1,j] ~ dnorm(0, 0.001)
  }
}
dat <- list(Y=Y, X=X, n=n, np=ncol(X))
load.module("glm")
m <- jags.fit(dat, "beta", glm.model)
cl <- makeCluster(3, type = "SOCK")
## load glm module
tmp <- clusterEvalQ(cl, library(dclone))
parLoadModule(cl, "glm")
pm <- jags.parfit(cl, dat, "beta", glm.model)
## chains are not identical -- this is good
pm[1:2,]
summary(pm)
## examples on how to use initial values
## fixed initial values
inits <- list(list(beta=matrix(c(0,1),1,2)),
             list(beta=matrix(c(1,0),1,2)),
             list(beta=matrix(c(0,0),1,2)))
pm2 <- jags.parfit(cl, dat, "beta", glm.model, inits)
## random numbers generated prior to jags.parfit
inits <- list(list(beta=matrix(rnorm(2),1,2)),
             list(beta=matrix(rnorm(2),1,2)),
             list(beta=matrix(rnorm(2),1,2)))
pm3 <- jags.parfit(cl, dat, "beta", glm.model, inits)
## self contained function
inits <- function() list(beta=matrix(rnorm(2),1,2))
pm4 <- jags.parfit(cl, dat, "beta", glm.model, inits)
## function pointing to the global environment
fun <- function() list(beta=matrix(rnorm(2),1,2))
inits <- function() fun()
clusterExport(cl, "fun")
## using the L'Ecuyer module with 6 chains
load.module("lecuyer")
parLoadModule(cl,"lecuyer")
pm4 <- jags.parfit(cl, dat, "beta", glm.model, inits,
                  n.chains=6)
nchain(pm4)
stopCluster(cl)
## multicore type forking
if (.Platform$OS.type != "windows") {
pm5 <- jags.parfit(3, dat, "beta", glm.model)
}

## End(Not run)

```

jagsModel

Create a JAGS model object

Description

jagsModel is used to create an object representing a Bayesian graphical model, specified with a BUGS-language description of the prior distribution, and a set of data. This function uses [jags.model](#) but keeps track of data cloning information supplied via the data argument. The model argument can also accept functions or 'custommodel' objects.

Usage

```
jagsModel(file, data=sys.frame(sys.parent()), inits, n.chains = 1,
          n.adapt=1000, quiet=FALSE)
```

Arguments

file	the name of the file containing a description of the model in the JAGS dialect of the BUGS language. Alternatively, file can be a readable text-mode connection, or a complete URL. It can be also a function or a custommodel object.
data	a list or environment containing the data. Any numeric objects in data corresponding to node arrays used in file are taken to represent the values of observed nodes in the model
inits	optional specification of initial values in the form of a list or a function. If omitted, initial values will be generated automatically. It is an error to supply an initial value for an observed node.
n.chains	the number of chains for the model
n.adapt	the number of iterations for adaptation. See adapt for details. If n.adapt = 0 then no adaptation takes place.
quiet	if TRUE then messages generated during compilation will be suppressed.

Value

parJagsModel returns an object inheriting from class jags which can be used to generate dependent samples from the posterior distribution of the parameters.

An object of class jags is a list of functions that share a common environment, see [jags.model](#) for details.

An n.clones attribute is attached to the object when applicable.

Author(s)

Peter Solymos, <solymos@ualberta.ca>

See Also

Underlying functions: [jags.model](#), [update.jags](#)

See example on help page of [codaSamples](#).

Parallel version: [parJagsModel](#)

`lambdamax.diag`*Data Cloning Diagnostics*

Description

These functions calculates diagnostics for evaluating data cloning convergence.

Usage

```
lambdamax.diag(x)
```

```
chisq.diag(x)
```

Arguments

`x` An object of class `mcmc` or `mcmc.list`.

Details

These diagnostics can be used to test for the data cloning convergence (Lele et al. 2007, 2010). Asymptotically the posterior distribution of the parameters approaches a degenerate multivariate normal distribution. As the distribution is getting more degenerate, the maximal eigenvalue (λ_{max}) of the unscaled covariance matrix is decreasing. There is no critical value under which λ_{max} is good enough. By default, 0.05 is used (see `getOption("dclone")$diag`).

Another diagnostic tool is to check if the joint posterior distribution is multivariate normal. It is done by `chisq.diag` as described by Lele et al. (2010).

Value

`lambdamax.diag` returns a single value, the maximum of the eigenvalues of the unscaled variance covariance matrix of the estimated parameters.

`chisq.diag` returns two test statistic values (mean squared error and r-squared) with empirical and theoretical quantiles.

Author(s)

Khurram Nadeem, <knadeem@math.ualberta.ca>

Peter Solymos, <solymos@ualberta.ca>

References

Lele, S.R., B. Dennis and F. Lutscher, 2007. Data cloning: easy maximum likelihood estimation for complex ecological models using Bayesian Markov chain Monte Carlo methods. *Ecology Letters* **10**, 551–563.

Lele, S. R., K. Nadeem and B. Schmuland, 2010. Estimability and likelihood inference for generalized linear mixed models using data cloning. *Journal of the American Statistical Association* **105**, 1617–1625.

Solyomos, P., 2010. dclone: Data Cloning in R. *The R Journal* **2(2)**, 29–37. URL: http://journal.r-project.org/archive/2010-2/RJournal_2010-2_Solyomos.pdf

See Also

Eigen decomposition: [eigen](#)

Examples

```
data(regmod)
lambdamax.diag(regmod)
chisq.diag(regmod)
```

make.symmetric

Make a square matrix symmetric by averaging.

Description

Matrix symmetry might depend on numerical precision issues. The older version of JAGS had a bug related to this issue for multivariate normal nodes. This simple function can fix the issue, but new JAGS versions do not require such intervention.

Usage

```
make.symmetric(x)
```

Arguments

x A square matrix.

Details

The function takes the average as $(x[i, j] + x[j, i]) / 2$ for each off diagonal cells.

Value

A symmetric square matrix.

Note

The function works for any matrix, even for those not intended to be symmetric.

Author(s)

Peter Solymos, <solymos@ualberta.ca>

Examples

```
x <- as.matrix(as.dist(matrix(1:25, 5, 5)))
diag(x) <- 100
x[lower.tri(x)] <- x[lower.tri(x)] - 0.1
x[upper.tri(x)] <- x[upper.tri(x)] + 0.1
x
make.symmetric(x)
```

mclapplySB

Size balancing version of mclapply

Description

mclapplySB is a size balancing version of [mclapply](#).

Usage

```
mclapplySB(X, FUN, ...,
  mc.preschedule = TRUE, mc.set.seed = TRUE,
  mc.silent = FALSE, mc.cores = 1L,
  mc.cleanup = TRUE, mc.allow.recursive = TRUE,
  size = 1)
```

Arguments

X	a vector (atomic or list) or an expressions vector. Other objects (including classed objects) will be coerced by as.list .
FUN	the function to be applied to each element of X
...	optional arguments to FUN
mc.preschedule	see mclapply
mc.set.seed	see mclapply
mc.silent	see mclapply
mc.cores	The number of cores to use, i.e. how many processes will be spawned (at most)
mc.cleanup	see mclapply
mc.allow.recursive	see mclapply
size	Vector of problem sizes (or relative performance information) corresponding to elements of X (recycled if needed). The default 1 indicates equality of problem sizes.

Details

[mclapply](#) gives details of the forking mechanism.

[mclapply](#) is used unmodified if sizes of the jobs are equal (`length(unique(size)) == 1`). Size balancing (as described in [snowWrapper](#)) is used to balance workload on the child processes otherwise.

Value

A list.

Author(s)

Peter Solymos

See Also

[mclapply](#), [snowWrapper](#)

mcmc.list-methods *Methods for the 'mcmc.list' class*

Description

Methods for 'mcmc.list' objects.

Usage

```
dcsd(object, ...)
## S3 method for class 'mcmc.list'
dcsd(object, ...)
## S3 method for class 'mcmc.list'
coef(object, ...)
## S3 method for class 'mcmc.list.dc'
confint(object, parm, level = 0.95, ...)
## S3 method for class 'mcmc.list.dc'
vcov(object, invfisher = TRUE, ...)
## S3 method for class 'mcmc.list'
quantile(x, ...)
```

Arguments

x, object	MCMC object to be processed.
parm	A specification of which parameters are to be given confidence intervals, either a vector of numbers or a vector of names. If missing, all parameters are considered.
level	The confidence level required.

... Further arguments passed to functions.

invfisher Logical, if the inverse of the Fisher information matrix (TRUE) should be returned instead of the variance-covariance matrix of the joint posterior distribution (FALSE).

Value

dcsd returns the data cloning standard errors of a posterior MCMC chain calculated as standard deviation times the square root of the number of clones.

The coef method returns mean of the posterior MCMC chains for the monitored parameters.

The confint method returns Wald-type confidence intervals for the parameters assuming asymptotic normality.

The vcov method returns the inverse of the Fisher information matrix (invfisher = TRUE) or the covariance matrix of the joint posterior distribution (invfisher = FALSE). The invfisher is valid only for `mcmc.list.dc` (data cloned) objects.

The quantile method returns quantiles for each variable.

Note

Some functions only available for the 'mcmc.list.dc' class which inherits from class 'mcmc.list'.

Author(s)

Peter Solymos, <solymos@ualberta.ca>

See Also

[jags.fit](#), [bugs.fit](#)

Examples

```
## Not run:
## simple regression example from the JAGS manual
jfun <- function() {
  for (i in 1:N) {
    Y[i] ~ dnorm(mu[i], tau)
    mu[i] <- alpha + beta * (x[i] - x.bar)
  }
  x.bar <- mean(x)
  alpha ~ dnorm(0.0, 1.0E-4)
  beta ~ dnorm(0.0, 1.0E-4)
  sigma <- 1.0/sqrt(tau)
  tau ~ dgamma(1.0E-3, 1.0E-3)
}
## data generation
set.seed(1234)
N <- 100
alpha <- 1
beta <- -1
sigma <- 0.5
```

```

x <- runif(N)
linpred <- model.matrix(~x) %*% c(alpha, beta)
Y <- rnorm(N, mean = linpred, sd = sigma)
## data for the model
dcdata <- dclone(list(N = N, Y = Y, x = x), 5, multiply = "N")
## data cloning
dcmo d <- jags.fit(dcdata, c("alpha", "beta", "sigma"), jfun,
  n.chains = 3)
summary(dcmo d)
coef(dcmo d)
dcsd(dcmo d)
confint(dcmo d)
vcov(dcmo d)
vcov(dcmo d, invfisher = FALSE)
quantile(dcmo d)

## End(Not run)

```

mcmcapply

Calculations on 'mcmc.list' objects

Description

Conveniently calculates statistics for `mcmc.list` objects.

Usage

```

mcmcapply(x, FUN, ...)
## S3 method for class 'mcmc.list'
stack(x, ...)

```

Arguments

<code>x</code>	Objects of class <code>mcmc.list</code> .
<code>FUN</code>	A function to be used in the calculations, returning a single value.
<code>...</code>	Other arguments passed to <code>FUN</code> .

Details

`mcmcapply` returns a certain statistics based on `FUN` after coercing into a matrix. `FUN` can be missing, in this case `mcmcapply` is equivalent to calling `as.matrix` on an `'mcmc.list'` object.

`stack` can be used to concatenates `'mcmc.list'` objects into a single vector along with index variables indicating where each observation originated from (e.g. iteration, variable, chain).

Value

`mcmcapply` returns statistic value for each variable based on `FUN`, using all values in all chains of the MCMC object.

`stack` returns a data frame with columns: `iter`, `variable`, `chain`, `value`.

Author(s)

Peter Solymos, <solymos@ualberta.ca>

Examples

```
data(regmod)
mcmcapply(regmod, mean)
mcmcapply(regmod, sd)

x <- stack(regmod)
head(x)
summary(x)
library(lattice)
xyplot(value ~ iter | variable, data=x,
        type="l", scales = "free", groups=chain)
```

nclones

Number of Clones

Description

Retrieves the number of clones from an object.

Usage

```
nclones(x, ...)
## Default S3 method:
nclones(x, ...)
## S3 method for class 'list'
nclones(x, ...)
```

Arguments

x	An object.
...	Other arguments to be passed.

Value

Returns the number of clones, or NULL.

Author(s)

Peter Solymos, <solymos@ualberta.ca>

See Also

[dclone](#)

Examples

```
x <- dclone(1:10, 10)
nclones(x)
nclones(1:10) # this is NULL
```

ovenbird

Abundances of ovenbird in Alberta

Description

The data set contains observations (point counts) of 198 sites of the Alberta Biodiversity Monitoring Institute.

count: integer, ovenbird counts per site.

site, year: numeric, site number and year of data collection.

ecosite: factor with 5 levels, ecological categorisation of the sites.

uplow: factor with 2 levels, ecological categorisation of the sites (same as ecosite but levels are grouped into upland and lowland).

dsucc, dalien, thd: numeric, percentage of successional, alienating and total human disturbance based on interpreted 3 x 7 km photoplots centered on each site.

long, lat: numeric, public longitude/latitude coordinates of the sites.

Usage

```
data(ovenbird)
```

Source

Alberta Biodiversity Monitoring Institute, <http://www.abmi.ca>

Examples

```
data(ovenbird)
summary(ovenbird)
str(ovenbird)
```

pairs.mcmc.list *Scatterplot Matrices for 'mcmc.list' Objects*

Description

A matrix of scatterplots is produced.

Usage

```
## S3 method for class 'mcmc.list'  
pairs(x, n = 25, col = 1:length(x),  
      col.hist = "gold", col.image = terrain.colors(50),  
      density = TRUE, contour = TRUE, mean = TRUE, ...)
```

Arguments

x	an 'mcmc.list' object.
n	number of of grid points in each direction for two-dimensional kernel density estimation. Can be scalar or a length-2 integer vector.
col	color for chains in upper panel scatterplots.
col.hist	color for histogram fill in diagonal panels.
col.image	color palette for image plot in lower panel scatterplots.
density	logical, if image plot based on the two-dimensional kernel density estimation should be plotted in lower panel.
contour	logical, if contour plot based on the two-dimensional kernel density estimation should be plotted in lower panel.
mean	logical, if lines should indicate means of the posterior densities in the panels.
...	additional graphical parameters/arguments.

Details

The function produces a scatterplot matrix for 'mcmc.list' objects. Diagonal panels are posterior densities with labels and rug on the top. Upper panels are pairwise bivariate scatterplots with coloring corresponding to chains, thus highlighting mixing properties although not as clearly as trace plots. Lower panels are two-dimensional kernel density estimates based on [kde2d](#) function of **MASS** package using [image](#) and [contour](#).

Value

The function returns NULL invisibly and produces a plot as a side effect.

Author(s)

Peter Solymos, <solymos@ualberta.ca>

See Also

[pairs](#), [plot.mcmc.list](#)

Two-dimensional kernel density estimation: [kde2d](#) in **MASS** package

Examples

```
data(regmod)
pairs(regmod)
```

parallel.inits *Parallel RNGs for initial values*

Description

This function takes care of initial values with safe RNGs based on [parallel.seeds](#) of the **rjags** package.

Usage

```
parallel.inits(inits, n.chains)
```

Arguments

inits	Initial values (see Initialization at jags.model). If NULL, an empty list of length n.chains will be generated and seeded (RNG type and seed).
n.chains	Number of chains to generate.

Details

Initial values are handled similar to as it is done in [jags.model](#).

RNGs are based on values returned by [parallel.seeds](#).

If the "lecuyer" JAGS module is active, RNGs are based on the "lecuyer::RngStream" factory, otherwise those are based on the "base::BaseRNG" factory.

Value

Returns a list of initial values with RNGs.

Author(s)

Peter Solymos, <solymos@ualberta.ca>. Based on Martyn Plummer's [parallel.seeds](#) function and code in [jags.model](#) for initial value handling in the **rjags** package.

See Also

[parallel.seeds](#), [jags.model](#)

This seeding function is used in all of **dclone**'s parallel functions that do initialization: [parJagsModel](#), [jags.parfit](#), [dc.parfit](#)

Examples

```
## "base::BaseRNG" factory.
parallel.inits(NULL, 2)
## "lecuyer::RngStream" factory
load.module("lecuyer")
parallel.inits(NULL, 2)
unload.module("lecuyer")
## some non NULL inits specifications
parallel.inits(list(a=0), 2)
parallel.inits(list(list(a=0), list(a=0)), 2)
parallel.inits(function() list(a=0), 2)
parallel.inits(function(chain) list(a=chain), 2)
```

parCodaSamples

Generate posterior samples in 'mcmc.list' format on parallel workers

Description

This function sets a trace monitor for all requested nodes, updates the model on each workers. Finally, it return the chains to the master and coerces the output to a single `mcmc.list` object.

Usage

```
parCodaSamples(cl, model, variable.names, n.iter, thin = 1, ...)
```

Arguments

<code>cl</code>	A cluster object created by makeCluster , or an integer. It can also be NULL, see snowWrapper .
<code>model</code>	character, name of a jags model object
<code>variable.names</code>	a character vector giving the names of variables to be monitored
<code>n.iter</code>	number of iterations to monitor
<code>thin</code>	thinning interval for monitors
<code>...</code>	optional arguments that are passed to the update method for jags model objects

Value

An `mcmc.list` object with possibly an `n.clones` attribute.

Author(s)

Peter Solymos, <solymos@ualberta.ca>

See Also

Original sequential function in **rjags**: [coda.samples](#)

Sequential **dclone**-ified version: [codaSamples](#)

Examples

```
## Not run:
model <- function() {
  for (i in 1:N) {
    Y[i] ~ dnorm(mu[i], tau)
    mu[i] <- alpha + beta * (x[i] - x.bar)
  }
  x.bar <- mean(x[])
  alpha ~ dnorm(0.0, 1.0E-4)
  beta ~ dnorm(0.0, 1.0E-4)
  sigma <- 1.0/sqrt(tau)
  tau ~ dgamma(1.0E-3, 1.0E-3)
}
## data generation
set.seed(1234)
N <- 100
alpha <- 1
beta <- -1
sigma <- 0.5
x <- runif(N)
linpred <- model.matrix(~x) %>% c(alpha, beta)
Y <- rnorm(N, mean = linpred, sd = sigma)
jdata <- list(N = N, Y = Y, x = x)
jpara <- c("alpha", "beta", "sigma")
## jags model on parallel workers
## n.chains must be <= no. of workers
cl <- makePSOCKcluster(4)
parJagsModel(cl, name="res", file=model, data=jdata,
  n.chains = 2, n.adapt=1000)
parUpdate(cl, "res", n.iter=1000)
m <- parCodaSamples(cl, "res", jpara, n.iter=2000)
stopifnot(2==nchain(m))
## with data cloning
dcdata <- dclone(list(N = N, Y = Y, x = x), 2, multiply="N")
parJagsModel(cl, name="res2", file=model, data=dcdata,
  n.chains = 2, n.adapt=1000)
parUpdate(cl, "res2", n.iter=1000)
m2 <- parCodaSamples(cl, "res2", jpara, n.iter=2000)
stopifnot(2==nchain(m2))
nclones(m2)
## note: only 2 chanis were run on 2 workers!
clusterEvalQ(cl, if (exists("res2")) nclones(res2))
stopCluster(cl)
```

```
## End(Not run)
```

```
parJagsModel          Create a JAGS model object on parallel workers
```

Description

parJagsModel is used to create an object representing a Bayesian graphical model, specified with a BUGS-language description of the prior distribution, and a set of data.

Usage

```
parJagsModel(cl, name, file, data=sys.frame(sys.parent()),
             inits, n.chains = 1, n.adapt=1000, quiet=FALSE)
```

Arguments

cl	A cluster object created by makeCluster , or an integer. It can also be NULL, see snowWrapper . Size of the cluster must be equal to or larger than n.chains.
name	character, name for the model to be assigned on the workers.
file	the name of the file containing a description of the model in the JAGS dialect of the BUGS language. Alternatively, file can be a readable text-mode connection, or a complete URL. It can be also a function or a custommodel object.
data	a list or environment containing the data. Any numeric objects in data corresponding to node arrays used in file are taken to represent the values of observed nodes in the model
inits	optional specification of initial values in the form of a list or a function (see Initialization on help page of jags.model). If omitted, initial values will be generated automatically. It is an error to supply an initial value for an observed node.
n.chains	the number of parallel chains for the model
n.adapt	the number of iterations for adaptation. See adapt for details. If n.adapt = 0 then no adaptation takes place.
quiet	if TRUE then messages generated during compilation will be suppressed. Effect of this argument is not visible on the master process.

Value

parJagsModel returns an object inheriting from class jags which can be used to generate dependent samples from the posterior distribution of the parameters. These jags models are residing on the workers, thus updating/sampling is possible.

Length of cl must be equal to or greater than n.chains. RNG seed generation takes place first on the master, and chains then initialized on each worker by distributing inits and single chained models.

An object of class `jags` is a list of functions that share a common environment, see [jags.model](#) for details. Data cloning information is attached to the returned object if data argument has `n.clones` attribute.

Author(s)

Peter Solymos, <solymos@ualberta.ca>

See Also

Original sequential function in **rjags**: [jags.model](#)

Sequential **dclone**-ified version: [jagsModel](#)

See example on help page of [parCodaSamples](#).

parLoadModule

Dynamically load JAGS modules on parallel workers

Description

A JAGS module is a dynamically loaded library that extends the functionality of JAGS. These functions load and unload JAGS modules and show the names of the currently loaded modules on parallel workers.

Usage

```
parLoadModule(cl, name, path, quiet=FALSE)
parUnloadModule(cl, name, quiet=FALSE)
parListModules(cl)
```

Arguments

<code>cl</code>	a cluster object created by the parallel (or snow) package.
<code>name</code>	character, name of the module to be loaded
<code>path</code>	file path to the location of the DLL. If omitted, the option <code>jags.moddir</code> is used to locate the modules. it can be a vector of length <code>length(cl)</code> to set different DLL locations on each worker
<code>quiet</code>	a logical. If TRUE, no message will be printed about loading the module

Author(s)

Peter Solymos, <solymos@ualberta.ca>

See Also

[list.modules](#), [load.module](#), [unload.module](#)

Examples

```
## Not run:
cl <- makePSOCKcluster(3)
parListModules(cl)
parLoadModule(cl, "glm")
parListModules(cl)
parUnloadModule(cl, "glm")
parListModules(cl)
stopCluster(cl)

## End(Not run)
```

parSetFactory

Advanced control over JAGS on parallel workers

Description

JAGS modules contain factory objects for samplers, monitors, and random number generators for a JAGS model. These functions allow fine-grained control over which factories are active on parallel workers.

Usage

```
parListFactories(cl, type)
parSetFactory(cl, name, type, state)
```

Arguments

cl	a cluster object created by the parallel (or snow) package.
name	name of the factory to set
type	type of factory to query or set. Possible values are "sampler", "monitor", or "rng"
state	a logical. If TRUE then the factory will be active, otherwise the factory will become inactive.

Value

parListFactories returns a list of data frame with two columns per each worker, the first column shows the names of the factory objects in the currently loaded modules, and the second column is a logical vector indicating whether the corresponding factory is active or not.

parSetFactory is called to change the future behaviour of factory objects. If a factory is set to inactive then it will be skipped.

Note

When a module is loaded, all of its factory objects are active. This is also true if a module is unloaded and then reloaded.

Author(s)

Peter Solymos, <solymos@ualberta.ca>

See Also

[list.modules](#), [set.factory](#)

Examples

```
## Not run:
cl <- makePSOCKcluster(3)
parListFactories(cl, "sampler")
parListFactories(cl, "monitor")
parListFactories(cl, "rng")
parSetFactory(cl, "base::Slice", "sampler", FALSE)
parListFactories(cl, "sampler")
parSetFactory(cl, "base::Slice", "sampler", TRUE)
stopCluster(cl)

## End(Not run)
```

parUpdate

Update jags models on parallel workers

Description

Update the Markov chain associated with the model on parallel workers.

Usage

```
parUpdate(cl, object, n.iter=1, ...)
```

Arguments

cl	A cluster object created by makeCluster , or an integer. It can also be NULL, see snowWrapper .
object	character, name of a jags model object
n.iter	number of iterations of the Markov chain to run
...	additional arguments to the update method, see update.jags

Value

The parUpdate function modifies the original object on parallel workers and returns NULL.

Author(s)

Peter Solymos, <solymos@ualberta.ca>

See Also

[update.jags](#)

See example on help page of [parCodaSamples](#).

regmod

*Exemplary MCMC list object***Description**

This data set was made via the [jags.fit](#) function.

Usage

```
data(regmod)
```

Source

See Example.

Examples

```
data(regmod)
summary(regmod)
plot(regmod)
## Not run:
## DATA GENERATION
## simple regression example from the JAGS manual
jfun <- function() {
  for (i in 1:N) {
    Y[i] ~ dnorm(mu[i], tau)
    mu[i] <- alpha + beta * (x[i] - x.bar)
  }
  x.bar <- mean(x[])
  alpha ~ dnorm(0.0, 1.0E-4)
  beta ~ dnorm(0.0, 1.0E-4)
  sigma <- 1.0/sqrt(tau)
  tau ~ dgamma(1.0E-3, 1.0E-3)
}
## data generation
set.seed(1234)
N <- 100
alpha <- 1
beta <- -1
sigma <- 0.5
x <- runif(N)
linpred <- model.matrix(~x) %*% c(alpha, beta)
Y <- rnorm(N, mean = linpred, sd = sigma)
## list of data for the model
jdata <- list(N = N, Y = Y, x = x)
```

```
## what to monitor
jpara <- c("alpha", "beta", "sigma")
## fit the model with JAGS
regmod <- jags.fit(jdata, jpara, jfun, n.chains = 3,
  updated.model = FALSE)

## End(Not run)
```

snowWrapper

Parallel wrapper function to call from within a function

Description

snowWrapper is a wrapper function around many functionalities of the **parallel** and **snow** packages. It is designed to work closely with MCMC fitting functions, e.g. can easily be called from inside of a function.

Usage

```
snowWrapper(cl, seq, fun,
  cldata, name = "cldata", use.env=FALSE,
  lib = NULL, dir = NULL, evalq=NULL,
  size = 1, balancing = c("none", "load", "size", "both"),
  rng.type = c("none", "RNGstream", "SPRNG"),
  cleanup = TRUE, unload = FALSE, envir = .GlobalEnv, ...)
```

Arguments

cl	A cluster object created by makeCluster , or an integer. It can also be NULL, see Details .
seq	A vector to split.
fun	A function or character string naming a function.
cldata	A list containing data. This will be assigned to an object name in the global environment (an already existing object with same name will be saved and replaced back in the end). This list is then exported to the cluster by clusterExport . Data in cldata can be used by fun.
name	Character, the name of cldata as to be assigned to the global environment and used in fun.
use.env	Logical, if name is to be treated as a list object or an environment.
lib	Character, name of package(s). Optionally packages can be loaded onto the cluster. More than one package can be specified as character vector. Packages already loaded are skipped.
dir	Working directory to use, if NULL working directory is not set on workers (default). Can be a vector to set different directories on workers.
evalq	Character, expressions to evaluate, e.g. for changing global options (passed to clusterEvalQ). More than one expressions can be specified as character vector.

balancing	Character, type of balancing to perform (see Details).
size	Vector of problem sizes (or relative performance information) corresponding to elements of seq (recycled if needed). The default 1 indicates equality of problem sizes.
rng.type	Character, "none" or the type of RNG on the workers (see clusterSetupRNG). The logical value <code>!(rng.type == "none")</code> is used for forking (e.g. when <code>cl</code> is integer).
cleanup	logical, if <code>cldata</code> should be removed from the workers after applying <code>fun</code> . If TRUE, effects of <code>dir</code> argument is also cleaned up.
unload	logical, if <code>pkg</code> should be unloaded after applying <code>fun</code> .
envir	environment to use when assigning data values.
...	Other arguments of <code>fun</code> , that are simple values and not objects. (Arguments passed as objects should be specified in <code>cldata</code> , otherwise those are not exported to the cluster by this function.)

Details

The function uses 'snow' type clusters when `cl` is a cluster object. The function uses 'multicore' type forking (shared memory) when `cl` is an integer. The value from `getOption("mc.cores")` is used if the argument is NULL.

The function sets the random seeds, loads packages `lib` onto the cluster, sets the working directory as `dir`, exports `cldata` and evaluates `fun` on `seq`.

No balancing (`balancing = "none"`) means, that the problem is splitted into roughly equal subsets, without respect to size (see [clusterSplit](#)). This splitting is deterministic (reproducible).

Load balancing (`balancing = "load"`) means, that the problem is not splitted into subsets *a priori*, but subsequent items are placed on the worker which is empty (see [clusterApplyLB](#) for load balancing). This splitting is non-deterministic (might not be reproducible).

Size balancing (`balancing = "size"`) means, that the problem is splitted into subsets, with respect to size (see [clusterSplitSB](#) and [parLapplySB](#)). In size balancing, the problem is re-ordered from largest to smallest, and then subsets are determined by minimizing the total approximate processing time. This splitting is deterministic (reproducible).

Size and load balancing (`balancing = "both"`) means, that the problem is re-ordered from largest to smallest, and then undeterministic load balancing is used (see [parLapplySLB](#)). If size is correct, this is identical to size balancing. This splitting is non-deterministic (might not be reproducible).

Value

Usually a list with results returned by the cluster.

Author(s)

Peter Solymos, <solymos@ualberta.ca>

See Also

Size balancing: [parLapplySB](#), [parLapplySLB](#), [mclapplySB](#)

Optimizing the number of workers: [clusterSize](#), [plotClusterSize](#).

snowWrapper is used internally by parallel **dclone** functions: [jags.parfit](#), [dc.parfit](#), [parJagsModel](#), [parUpdate](#), [parCodaSamples](#).

Examples

```
## Not run:
cl <- makePSOCKcluster(2)
## wrapper
fun <- function(i) cldata$a * i - cldata$b
cldata <- list(a=10, b=5)
snowWrapper(cl, 1:5, fun, cldata)
stopCluster(cl)

## End(Not run)
```

update.mcmc.list

Automatic updating of an MCMC object

Description

Automatic updating of an MCMC object until a desired statistic value reached.

Usage

```
updated.model(object, ...)
## S3 method for class 'mcmc.list'
update(object, fun,
        times = 1, n.update = 0, n.iter, thin, ...)
```

Arguments

object	A fitted MCMC object ('mcmc.list' class for example), with "updated.model" attribute.
fun	A function that evaluates convergence of the MCMC chains, must return logical result. See Examples. The iterative updating quits when return value is TRUE. Can be missing, in which case there is no stopping rule.
times	Number of times the updating should be repeated. If fun returns TRUE, updating is finished and MCMC object is returned.
n.update	Number of updating iterations. The default 0 indicates, that only n.iter iterations are used.
n.iter	Number of iterations for sampling and evaluating fun. If missing, value is taken from object.
thin	Thinning value. If missing, value is taken from object.
...	Other arguments passed to coda.samples .

Details

updated.model can be used to retrieve the updated model from an MCMC object fitted via the function `jags.fit` and `dc.fit` (with `flavour = "jags"`). The update method is a wrapper for this purpose, specifically designed for the case when MCMC convergence is problematic. A function is evaluated on the updated model in each iteration of the updating process, and an MCMC object is returned when iteration ends, or when the evaluated function returns TRUE value.

`n.update` and `n.iter` can be vectors, if lengths are shorter than `times`, values are recycled.

Data cloning information is preserved.

Value

updated.model returns the state of the JAGS model after updating and sampling. This can be further updated by the function `update.jags` and sampled by `coda.samples` if convergence diagnostics were not satisfactory.

update returns an MCMC object with "updated.model" attribute.

Author(s)

Peter Solymos, <solymos@ualberta.ca>

See Also

[jags.fit](#), [coda.samples](#), [update.jags](#)

Examples

```
## Not run:
## simple regression example from the JAGS manual
jfun <- function() {
  for (i in 1:N) {
    Y[i] ~ dnorm(mu[i], tau)
    mu[i] <- alpha + beta * (x[i] - x.bar)
  }
  x.bar <- mean(x[])
  alpha ~ dnorm(0.0, 1.0E-4)
  beta ~ dnorm(0.0, 1.0E-4)
  sigma <- 1.0/sqrt(tau)
  tau ~ dgamma(1.0E-3, 1.0E-3)
}
## data generation
set.seed(1234)
N <- 100
alpha <- 1
beta <- -1
sigma <- 0.5
x <- runif(N)
linpred <- model.matrix(~x) %*% c(alpha, beta)
Y <- rnorm(N, mean = linpred, sd = sigma)
## list of data for the model
jdata <- list(N = N, Y = Y, x = x)
```

```

## what to monitor
jpara <- c("alpha", "beta", "sigma")
## fit the model with JAGS
regmod <- jags.fit(jdata, jpara, jfun, n.chains = 3)
## get the updated model
upmod <- updated.model(regmod)
upmod
## automatic updating
## using R_hat < 1.1 as criteria
critfun <- function(x)
  all(gelman.diag(x)$psrf[,1] < 1.1)
mod <- update(regmod, critfun, 5)
## update just once
mod2 <- update(regmod)
summary(mod)

## End(Not run)

```

write.jags.model

Write and remove model file

Description

Writes or removes a BUGS model file to or from the hard drive.

Usage

```

write.jags.model(model, filename = "model.bug", dir = getwd(),
  overwrite = getOption("dcoptions")$overwrite)
clean.jags.model(filename = "model.bug", dir = getwd())
custommodel(model, exclude = NULL)

```

Arguments

model	JAGS model to write onto the hard drive (see Example). For <code>write.jags.model</code> , it can be name of a file or a function, or it can be an 'custommodel' object returned by <code>custommodel</code> . <code>custommodel</code> can take its <code>model</code> argument as function. If <code>model</code> is not function, its is coerced as character.
filename	Character, the name of the file to write/remove.
dir	Optional argument for directory where to write or look for the file to remove.
overwrite	Logical, if TRUE the filename will be forced and existing file with same name will be overwritten.
exclude	Numeric, lines of the model to exclude (see Details).

Details

`write.jags.model` is built upon the function `write.model` of the **R2WinBUGS** package.

`clean.jags.model` is built upon the function `file.remove`, and intended to be used internally to clean up the JAGS model file after estimating sessions, ideally via the `on.exit` function.

The function `custommodel` can be used to exclude some lines of the model. This is handy when there are variations of the same model. `write.jags.model` accepts results returned by `custommodel`. This is also the preferred way of including BUGS models into R packages, because the function form often includes undefined functions.

Use the `%_%` operator if the model is a function and the model contains truncation (`I()` in WinBUGS, `T()` in JAGS). See explanation on help page of `write.model`.

Value

`write.jags.model` invisibly returns the name of the file that was written eventually (possibly including random string).

`clean.jags.model` invisibly returns the result of `file.remove` (logical). Original working directory is restored.

`custommodel` returns an object of class 'custommodel', which is a character vector.

Author(s)

Peter Solymos, <solymos@ualberta.ca>

See Also

[write.model](#), [file.remove](#)

Examples

```
## Not run:
## simple regression example from the JAGS manual
jfun <- function() {
  for (i in 1:N) {
    Y[i] ~ dnorm(mu[i], tau)
    mu[i] <- alpha + beta * (x[i] - x.bar)
  }
  x.bar <- mean(x)
  alpha ~ dnorm(0.0, 1.0E-4)
  beta ~ dnorm(0.0, 1.0E-4)
  sigma <- 1.0/sqrt(tau)
  tau ~ dgamma(1.0E-3, 1.0E-3)
}
## data generation
set.seed(1234)
N <- 100
alpha <- 1
beta <- -1
sigma <- 0.5
x <- runif(N)
```

```

linpred <- model.matrix(~x) %*% c(alpha, beta)
Y <- rnorm(N, mean = linpred, sd = sigma)
## list of data for the model
jdata <- list(N = N, Y = Y, x = x)
## what to monitor
jpara <- c("alpha", "beta", "sigma")
## write model onto hard drive
jmodnam <- write.jags.model(jfun)
## fit the model
regmod <- jags.fit(jdata, jpara, jmodnam, n.chains = 3)
## cleanup
clean.jags.model(jmodnam)
## model summary
summary(regmod)

## End(Not run)
## let's customize this model
jfun2 <- structure(
  c(" model { ",
    "   for (i in 1:n) { ",
    "       Y[i] ~ dpois(lambda[i]) ",
    "       Y[i] <- alpha[i] + inprod(X[i,], beta[1,]) ",
    "       log(lambda[i]) <- alpha[i] + inprod(X[i,], beta[1,]) ",
    "       alpha[i] ~ dnorm(0, 1/sigma^2) ",
    "   } ",
    "   for (j in 1:np) { ",
    "       beta[1,j] ~ dnorm(0, 0.001) ",
    "   } ",
    "   sigma ~ dlnorm(0, 0.001) ",
    " } "),
  class = "custommodel")
custommodel(jfun2)
## GLMM
custommodel(jfun2, 4)
## LM
custommodel(jfun2, c(3,5))
## deparse when print
print(custommodel(jfun2), deparse=TRUE)

```

Index

- *Topic **IO**
 - write.jags.model, 54
- *Topic **aplot**
 - errlines, 25
- *Topic **connection**
 - clusterSplitSB, 6
 - snowWrapper, 50
- *Topic **datasets**
 - ovenbird, 40
 - regmod, 49
- *Topic **hplot**
 - pairs.mcmc.list, 41
- *Topic **htest**
 - bugs.fit, 3
 - dc.fit, 9
 - dc.parfit, 13
 - dctable, 22
 - jags.fit, 27
 - lambdamax.diag, 33
 - update.mcmc.list, 52
- *Topic **interface**
 - mclapplySB, 35
 - parLoadModule, 46
- *Topic **manip**
 - dclone, 18
 - make.symmetric, 34
 - nclones, 39
- *Topic **methods**
 - mcmc.list-methods, 36
- *Topic **misc**
 - evalParallelArgument, 26
- *Topic **models**
 - bugs.fit, 3
 - codaSamples, 8
 - dc.fit, 9
 - dc.parfit, 13
 - dctable, 22
 - jags.fit, 27
 - jags.parfit, 29
 - jagsModel, 32
 - parCodaSamples, 43
 - parJagsModel, 45
 - parSetFactory, 47
 - parUpdate, 48
 - update.mcmc.list, 52
- *Topic **package**
 - dclone-package, 2
- *Topic **utilities**
 - clusterSize, 5
 - clusterSplitSB, 6
 - dcoptions, 20
 - evalParallelArgument, 26
 - mcmcapply, 38
 - parallel.inits, 42
 - snowWrapper, 50
- adapt, 32, 45
- as.list, 35
- as.mcmc.list.bugs (bugs.fit), 3
- bugs, 4
- bugs.fit, 3, 3, 9–11, 14–16, 24, 37
- chisq.diag, 3, 23
- chisq.diag (lambdamax.diag), 33
- clean.jags.model, 3
- clean.jags.model (write.jags.model), 54
- clusterApply, 7
- clusterApplyLB, 7, 51
- clusterEvalQ, 50
- clusterExport, 14, 30, 50
- clusterSetupRNG, 21, 51
- clusterSize, 5, 7, 16, 52
- clusterSplit, 7, 51
- clusterSplitSB, 6, 51
- coda.samples, 8, 28, 44, 52, 53
- codaSamples, 3, 8, 33, 44
- coef.mcmc.list, 3, 4, 28
- coef.mcmc.list (mcmc.list-methods), 36

- confint.mcmc.list.dc, 3, 4, 28
- confint.mcmc.list.dc
 - (mcmc.list-methods), 36
- contour, 41
- custommodel, 3, 4, 9, 14, 28, 30, 32, 45
- custommodel (write.jags.model), 54

- dc.fit, 3, 9, 15, 16, 24, 53
- dc.parfit, 3, 11, 13, 43, 52
- dcdiag, 3, 11
- dcdiag (dctable), 22
- dcdim, 3
- dcdim (dclone), 18
- dclone, 3, 11, 18, 24, 39
- dclone-package, 2
- dcoptions, 20
- dcsd, 4, 28
- dcsd (mcmc.list-methods), 36
- dcsd.mcmc.list, 3
- dctable, 3, 11, 22

- eigen, 34
- errlines, 25
- evalParallelArgument, 26
- extractdcdiag (dctable), 22
- extractdctable (dctable), 22

- file.remove, 55

- gelman.diag, 4, 21, 28

- image, 41

- jags.fit, 3, 8–11, 14–16, 24, 27, 29, 30, 37, 49, 53
- jags.model, 8, 10, 14, 28, 30, 32, 33, 42, 43, 45, 46
- jags.parfit, 3, 15, 28, 29, 43, 52
- jagsModel, 3, 32, 46

- kde2d, 41, 42

- lambdamax.diag, 3, 23, 33
- legend, 22
- lines, 25, 26
- list.modules, 46, 48
- load.module, 46

- make.symmetric, 34
- makeCluster, 7, 14, 29, 43, 45, 48, 50

- mclapply, 35, 36
- mclapplySB, 35, 52
- mcmc.list-methods, 36
- mcmcapply, 3, 38

- nclones, 4, 39

- on.exit, 55
- openbugs, 4
- ovenbird, 40

- pairs, 42
- pairs.mcmc.list, 41
- parallel.inits, 30, 42
- parallel.seeds, 42, 43
- parCodaSamples, 3, 8, 30, 43, 46, 49, 52
- parJagsModel, 3, 30, 33, 43, 45, 52
- parLapply, 7
- parLapplySB, 51, 52
- parLapplySB (clusterSplitSB), 6
- parLapplySLB, 51, 52
- parLapplySLB (clusterSplitSB), 6
- parListFactories (parSetFactory), 47
- parListModules (parLoadModule), 46
- parLoadModule, 46
- parSetFactory, 47
- parUnloadModule (parLoadModule), 46
- parUpdate, 3, 30, 48, 52
- plot.dcdiag (dctable), 22
- plot.dctable (dctable), 22
- plot.mcmc.list, 42
- plotClusterSize, 7, 16, 52
- plotClusterSize (clusterSize), 5
- polygon, 6, 26

- quantile.mcmc.list, 3, 4, 28
- quantile.mcmc.list (mcmc.list-methods), 36

- regmod, 49
- rep, 19

- set.factory, 48
- snowWrapper, 6, 14, 15, 29, 36, 43, 45, 48, 50
- stack.mcmc.list, 3
- stack.mcmc.list (mcmcapply), 38

- unload.module, 46
- update.jags, 8, 28, 33, 48, 49, 53
- update.mcmc.list, 28, 52

updated.model, 8, 28
updated.model (update.mcmc.list), 52

vcov.mcmc.list.dc, 3, 4, 28
vcov.mcmc.list.dc (mcmc.list-methods),
36

write.jags.model, 3, 54
write.model, 55