

Package ‘gcExplorer’

January 2, 2012

Version 0.9-4

Date 2010-01-07

Author Theresa Scharl, Ingo Voglhuber, Friedrich Leisch

Maintainer Theresa Scharl <Theresa.Scharl@ci.tuwien.ac.at>

Title Graphical Cluster Explorer

Description Visualize cluster results and investigate additional properties of clusters using interactive neighbourhood graphs. By clicking on the node representing the cluster, information about the cluster is provided using additional graphics or summary statistics. For microarray data, tables with links to genetic databases like NCBI Entrez Gene can be created for each cluster.

Depends R (>= 2.10), graphics, methods, flexclust (>= 1.0-0),Rgraphviz

Imports flexclust, modeltools

Suggests splines, lattice

License GPL-2

Repository CRAN

Date/Publication 2011-05-17 10:06:39

R topics documented:

clusterPlot	2
comp_test	3
edgeTest	4
fitsod	5
gcExplorer	7
gcModify	9
gcOffline	11
gcProfile	12

gcSim	13
gcTable	15
go.details	16
gridnodes	17
Group2Cluster	18
jkdist	19
node.tight	20
oxygen	22
pattern	23
ps19	24
sigma	25
symbolplot	26
write.htmltable	28

Index	30
--------------	-----------

clusterPlot	<i>Cluster solution plot</i>
-------------	------------------------------

Description

Plot the expression profiles of the smallest clusters of an object of class "kccasimple".

Usage

```
## S4 method for signature 'kccasimple'
clusterPlot(object, method = c("size", "tight"), layout = c(3, 4),
  xlabels = NULL, xlab = "time", ...)
```

Arguments

object	An object of class "kccasimple".
method	Which clusters should be plotted: either small clusters or tight clusters.
layout	A vector of the form c(nr, nc). Only a subset of nr x nc clusters will be drawn. The arrangement of nr rows and nc columns is passed to the layout argument of lattice function xyplot.
xlabels	Either a numeric vector of time points giving the positions on the x-axis or a character vector with names of the positions on the x-axis.
xlab	Character string or expression giving label for the x-axis
...	Further arguments can be passed to function xyplot.

Author(s)

Theresa Scharl

Examples

```
data("hsod")
c11 <- qtclust(hsod, radius = 2, save.data = TRUE)

clusterPlot(c11, method = "tight", layout = c(3,2))
```

`comp_test`*Compare Cluster Results*

Description

Cluster validation by testing the validity of a cluster solution under different experimental conditions.

Usage

```
comp_test(data, c11, N = 500, quant=0.05, ...)
```

Arguments

<code>data</code>	Dataset with the same number of rows as the clustered dataset.
<code>c11</code>	Vector of cluster memberships of the clustered dataset.
<code>N</code>	Number of permutations.
<code>quant</code>	The defined quantile for the permuted average distances.
<code>...</code>	Further arguments can be passed to the subfunctions.

Value

A matrix giving for each cluster the size of the cluster, the observed average within cluster distance to the computed cluster center in the new dataset, the defined quantile for the permuted average distances and the p-values, i.e., the proportion of permutations where the observed within cluster distance is lower than the permuted.

Author(s)

Theresa Scharl

Examples

```
data(comp19)
set.seed(1111)
c13 <- qtclust(comp19, radius=1.5, family=kccaFamily(dist=distEuclidean,
  cent=colMeans), save.data=TRUE, control=list(min.size=5))
c13

ct1 <- comp_test(comp17, clusters(c13), N=1000)
ct1
```

`edgeTest`*Functional Relevance Test*

Description

Perform a functional relevance test on the edges of a neighborhood graph

Usage

```
edgeTest(object, min.size = 1, group, N = 500, filt = 0.1,
         useNH = TRUE, quant = 0.95)
```

Arguments

<code>object</code>	An object of class "kccasimple".
<code>min.size</code>	Minimum number of grouped genes in a cluster to be considered for testing
<code>group</code>	Vector of cluster memberships of functionally grouped genes (from function <code>Group2Cluster</code>).
<code>N</code>	Number of permutations.
<code>filt</code>	Threshold for edges in the neighborhood graph to be considered for testing.
<code>useNH</code>	Use the neighborhood structure or test all combination of nodes?
<code>quant</code>	The defined quantile of the maxima of the permuted average distances.

Value

A list consisting of the matrix `res` and the defined quantile `quant` of the maxima of the permuted average distances. The matrix `res` gives the cluster sizes, the difference in proportions and the corresponding p-value for each edge considered.

Author(s)

Theresa Scharl

See Also

`Group2Cluster`

Examples

```
data("hsod")
data("gobp")
set.seed(1111)
c11 <- qtclust(hsod, radius = 2, save.data = TRUE)

g1 <- Group2Cluster(c11, gonr = "GO:0009061",
                  source.group = gobp[,3], source.id=gobp[,1],
                  id = bn_hsod)
test1 = edgeTest(c11, group=g1, min.size=2, useNH=TRUE, filt=0.1, N=1000)
```

`fitsod`*E. coli Fermentation Data*

Description

E. coli Fermentation Fit Data Object containing M-values, P-values, GeneNames and Links to NCBI. Output of limma function `write.fit` with links to NCBI added for each gene.

Usage

```
data(fitsod)
data(hsod)
data(gobp)
```

Format

A data frame with 4368 observations on the following variables.

`A` a numeric vector giving the mean A-values

`Coef.stress3A` a numeric vector for each coefficient giving the estimated coefficient for a particular gene for the contrast to the reference

`Coef.stress3B` a numeric vector for each coefficient giving the estimated coefficient for a particular gene for the contrast to the reference

`Coef.stress3C` a numeric vector for each coefficient giving the estimated coefficient for a particular gene for the contrast to the reference

`Coef.stress3F` a numeric vector for each coefficient giving the estimated coefficient for a particular gene for the contrast to the reference

`Coef.stress4` a numeric vector for each coefficient giving the estimated coefficient for a particular gene for the contrast to the reference

`Coef.stress4A` a numeric vector for each coefficient giving the estimated coefficient for a particular gene for the contrast to the reference

`Coef.stress5A` a numeric vector for each coefficient giving the estimated coefficient for a particular gene for the contrast to the reference

`Coef.stress6` a numeric vector for each coefficient giving the estimated coefficient for a particular gene for the contrast to the reference

`t.stress3A` a numeric vector giving the t-statistic to the coefficient estimate

`t.stress3B` a numeric vector giving the t-statistic to the coefficient estimate

`t.stress3C` a numeric vector giving the t-statistic to the coefficient estimate

`t.stress3F` a numeric vector giving the t-statistic to the coefficient estimate

`t.stress4` a numeric vector giving the t-statistic to the coefficient estimate

`t.stress4A` a numeric vector giving the t-statistic to the coefficient estimate

`t.stress5A` a numeric vector giving the t-statistic to the coefficient estimate

`t.stress6` a numeric vector giving the t-statistic to the coefficient estimate
`p.value.stress3A` a numeric vector giving the corresponding p-value
`p.value.stress3B` a numeric vector giving the corresponding p-value
`p.value.stress3C` a numeric vector giving the corresponding p-value
`p.value.stress3F` a numeric vector giving the corresponding p-value
`p.value.stress4` a numeric vector giving the corresponding p-value
`p.value.stress4A` a numeric vector giving the corresponding p-value
`p.value.stress5A` a numeric vector giving the corresponding p-value
`p.value.stress6` a numeric vector giving the corresponding p-value
`F` a numeric vector giving the overall F-statistic
`F.p.value` a numeric vector giving the corresponding F-p-value
`Genes.Block` first block position of the gene
`Genes.Row` first row position of the gene
`Genes.Column` first column position of the gene
`Genes.GeneName` Short genename
`Genes.ID` Gene ID
`Genes.AccessionReference` Blattner numbers
`Genes.Status` status of the gene: always gene
`links` link to NCBI

Details

The data set `hsod` is a filtered subset of the original data. It contains 527 differentially expressed genes at the 8 time points. The vector `bn_hsod` contains the corresponding identifiers which can be used to search for functional groups in the data set `gobp`. `links_hsod` contains the corresponding links to the NCBI database.

`gobp` is a data set listing functional groups to gene identifiers. The data set consists of 8726 observations, the first column gives the gene identifier, the second column gives the gene name and the third column gives the functional group.

References

Duerrschmid, K., Reischer, H., Schmidt-Heck, W., Hrebicek, T., Guthke, R., Rizzi, A., Bayer, K. (2008). Monitoring of transcriptome and proteome profiles to investigate the cellular response of *E. coli* towards recombinant protein expression under defined chemostat conditions. *Journal of Biotechnology* 135, 34–44.

Examples

```
data(fitsod)
```

Description

Plot a neighborhood graph for "kccasimple" cluster solutions.

Usage

```
## S4 method for signature 'kccasimple'
gcExplorer(object, layout = c("dot", "neato", "twopi", "circo", "fdp"),
  theme = "grey", edge.method=c("orig", "mean", "min", "max"),
  node.function = NULL, node.args = NULL, doViewPort = FALSE,
  filt = 0.1, interactive = !is.null(panel.function), dev=c("one", "many"),
  panel.function = NULL, panel.args = NULL, bgdata = NULL,
  colscale = NULL, mfrow = c(1,1), legend.pos = "none")
```

Arguments

object	Object of class "kccasimple".
layout	Layout method used: One of "dot", "neato", "twopi", "circo", and "fdp".
theme	Color theme used.
edge.method	Several methods are available to draw edges: "orig", "mean", "min", and "max", see details below.
node.function	Optional. Additional information about the clusters can be included in the representation of nodes. Either a function calculating node colors or a grid-based function (see doViewPort).
node.args	List of arguments which should be passed to node.function.
doViewPort	Currently not used in release version of the package. Call a grid-based function specified by argument node.function and use it for node representation?
filt	Cutoff value for similarities between clusters, edges above the threshold will be displayed.
interactive	Should the plot be interactive?
dev	Only used if interactive=TRUE. Display each cluster plot (specified by panel.function) in one device or open new devices for each cluster when clicking on a node.
panel.function	Only used if interactive=TRUE. The panel function which should be used to display the corresponding cluster
panel.args	List of arguments which should be passed to panel.function.
bgdata	Background data to be plotted by panel.function or node.function.
colscale	A vector of length 2 specifying the color range for edges and nodes, e.g. c(0,0.5).
mfrow	Only used if interactive=TRUE. The panel layout in which the panel plots should be displayed.
legend.pos	Position of the legend.

Details

A neighborhood graph is the default plot method for cluster objects of package flexclust. For large and highdimensional data sets like microarray data linear projection of the data into two dimensions may not scale well in the number of clusters. In this case non-linear arrangement of the nodes using layout algorithms from Graphviz can be helpful. An interface to Graphviz is provided in Bioconductor package Rgraphviz. One of the implemented layout algorithms can be selected using layout.

In a neighborhood graph each node corresponds to a cluster centroid. Two nodes are connected by an edge if there exist data points that have these two centroids as closest and second closest. The edge weights are taken from `clusterSim(object)`. The similarity between two clusters is bounded between 0 and 1 where well-separated clusters have values close to 0. The larger the similarity between clusters the stronger the edge will be drawn in the graph. The cutoff value for drawing the edge between two centroids can be chosen by argument `filt`. The larger the `filt` value the fewer edges will be drawn.

Originally the neighborhood graph is a directed graph. An edge will be drawn from centroid 1 to centroid 2 if there exists at least one data point that has centroid 1 as closest and centroid 2 as second closest. But there need not necessarily be a data point that has centroid 2 as closest and centroid 1 as second closest centroid. For this reason there are several methods for plotting the edges between nodes. The default `edge.method` is 'orig' where each edge is drawn separately with its corresponding weight. This method will result in a directed graph. All other edge methods yield undirected graphs where the mean, minimum or maximum of the similarities between two clusters is used.

Additional information about the clusters can be included in the graph using `node.function` and `panel.function`. `node.function` is used for the node representation. If no `node.function` is given all nodes will be drawn in one color. The `node.function` can be used to calculate different colors for the nodes like cluster size or cluster tightness. Additionally `node.function` can be a grid-based function displaying the data in the underlying cluster, e.g. a scatterplot or a boxplot.

gcExplorer is implemented interactively. If `interactive=TRUE` `panel.function` is used to plot a cluster when clicking on the corresponding node. An example of a `panel.function` is given by function `gcProfile`.

Function `calcHCL` is used to calculate a HCL-based color.

Value

Object of class "graphdata" with the following slots: an object of class "Ragraph" (see package Rgraphviz), `object`, `bgdata`, `node.function`, `edge.method`, `theme` and `colscale`.

Author(s)

Theresa Scharl and Ingo Voglhuber

References

Theresa Scharl and Friedrich Leisch. gcExplorer: Interactive Exploration of Gene Clusters. Bioinformatics, 25(8): 1089-1090, 2009.

See Also[node.tight](#)**Examples**

```
data("hsod")
c11 <- qtclust(hsod, radius = 2, save.data = TRUE)

gcExplorer(c11, theme = "blue", node.function = node.size)
```

gcModify

*Modify Ragraph Objects and Replot them***Description**

gcModify is a function to modify and plot an object of class "graphdata":

- remove edges/nodes
- zoom
- draw custom node plots

Usage

```
## S4 method for signature 'graphdata'
gcModify(graphdata, clsim = NULL, rmNodes = NULL,
         kpNodes = NULL, edgeDep = TRUE, nodeDep = FALSE,
         zoom = c("none", "manual", "auto"),
         keepAspectRatio = TRUE, node.function = NULL,
         doViewport = TRUE, bgdata = NULL)
```

Arguments

graphdata	list, containing object of class "Ragraph", object of class "kcca" and other parameters of graph created by gcExplorer).
clsim	matrix, new clsim to define removal or modification of edges.
rmNodes	character vector, names of nodes to remove. (can not be used in combination with kpNodes)
kpNodes	character vector, names of nodes to keep. (can not be used in combination with rmNodes)
edgeDep	logical. If TRUE edges are removed, if they do not connect two nodes.
nodeDep	logical. If TRUE nodes are removed, if they are not connected to other nodes.
zoom	one of: "none" - no zoom. "manual" - activate manual zoom, user interaction needed to specify area to be enlarged. "auto" - auto zoom, automatically enlarges graph to size of graphic device.

keepAspectRatio	logical. If TRUE aspect ratio is preserved.
node.function	Grid based function for node plotting. To work correctly, the function will take three arguments: object is an object of class "kcca". cluster is an integer giving the node (i.e., cluster) number. bgdata is a data.frame of external data.
doViewPort	logical. If TRUE node.function is called to draw nodes.
bgdata	data.frame. external data for node drawing. (passed to node.function).

Details

gcModify is a tool to modify and plot graphs, created by gcExplorer, zoom certain areas of the plot and use grid based functions to draw custom node plots.

Value

Object of class "graphdata" with the following slots: an object of class "Ragraph" (see package Rgraphviz), object, bgdata, node.function, edge.method, theme and colscale.

Author(s)

Ingo Voglhuber

See Also

[gcExplorer](#)

Examples

```
data("hsod")
library(flexclust)
set.seed(1111)
c11 <- qtclust(hsod, radius = 2,
              family = kccaFamily(dist = distEuclidean,
                                  cent = colMeans), save.data = TRUE)

## create Ragraph object from kcca object with gcExplorer
graph <- gcExplorer(c11, theme = "blue", node.function = node.size)

## extract and modify clsim
clsim <- clusterSim(c11)
clsim[clsim < 0.5] <- 0

## use modified clsim on Ragraph object to remove edges (<0.5)
gcModify(graph, clsim)

## use nodeDep=TRUE to delete nodes without edges
gcModify(graph, clsim, nodeDep = TRUE, zoom = "none")
```

```

## use zoom="auto" to center and maximize subgraph
gcModify(graph, clsim, nodeDep = TRUE, zoom = "auto")

## Not run:
## R package symbols is available from Rforge:
## http://r-forge.r-project.org/projects/gsymbols/

require("gsymbols")

## create a grid based plotting function: plot cluster data and centers in matplot.
ggmatplot <- function (object, cluster, bgdata) {
  grid.rect()
  data <- object@data@get("designMatrix")
  ylimits <- c(min(data, na.rm = TRUE), max(data, na.rm = TRUE))
  index <- (object@cluster == cluster)
  nodedata <- data[index,]
  gmatplot(1:ncol(nodedata), t(nodedata), type = "l",
           col = "gray", ylim = ylimits, pch = 1)
  center <- object@centers[cluster,]
  gmatplot(1:ncol(object@centers), center, type = "l",
           col = "red", ylim = ylimits, pch = 1)
}
## use grid based node function to draw nodes
gcModify(graph, clsim, nodeDep = TRUE, zoom = "auto",
         node.function = ggmatplot)

## End(Not run)

```

gcOffline

Offline gcExplorer

Description

Save gcExplorer plots or tables to a file.

Usage

```

## S4 method for signature 'kccasimple'
gcOffline(object, panel.function, panel.args=NULL,
          type=pdf, file="gcOffline", which=NULL, html=FALSE, ...)

```

Arguments

object	Object of class "kccasimple".
panel.function	Only used if interactive=TRUE. The panel function which should be used to display the corresponding cluster
panel.args	List of arguments which should be passed to panel.function.
type	Create graphics of type type, e.g., pdf, postscript, jpeg, png.

file	File name prefix used for graphics files. Of the form file-which.type and file-graph.type.
which	A vector specifying if all cluster plots (default) or only a subset should be created.
html	Logical. Does the panel.function produce HTML tables.
...	Further arguments can be passed to gcExplorer.

Author(s)

Theresa Scharl

See Also

[gcTable](#), [gcProfile](#)

Examples

```
data("hsod")
set.seed(1111)
cl1 <- qtclust(hsod, radius=2, save.data=TRUE)

# create three files: hsod-003.pdf, hsod-005.pdf, hsod-graph.pdf
gcOffline(cl1, panel.function=gcProfile, file="hsod", which=c(3,5))

# create two files: hsod-003.html, hsod-005.html
gcOffline(cl1, panel.function = gcTable, html = TRUE,
          panel.args = list(links = links_hsod),
          file = "hsod", which=c(3,5))

# tidy up
unlink(list.files()[grep("hsod-", list.files())])
```

gcProfile

Plot for cluster results

Description

Plot a single cluster of a 'kccasimple' object.

Usage

```
## S4 method for signature 'kccasimple'
gcProfile(object, which, data = NULL, cex1 = 0.8, xlab = "",
          ylab = "M", ylim=c(-6,6), cex.axis=1, xlabels=NULL,
          opar = par(las=1, mar=c(5, 4, 2, 0.5) + 0.1),
          data.type=c("time", "other"), legend=TRUE, main=NULL, ...)
```

Arguments

object	an object of class "kccasimple"
data	Plot either the data stored in object or external data.
which	Number of the cluster.
cexl	Point size of the legend.
xlab	Label for the x-axis.
ylab	Label for the y-axis.
ylim	Range of the y-axis.
cex.axis	Point size of x-axis.
xlabels	Positions on the x-axis. Default is 1:ncol(data).
opar	Graphical parameters.
data.type	If the data come from arbitrary source (default) colnames of the data are used as xlabels if not stated otherwise using xlabels. If the data comes from a time course experiment x-values start at 0 and different time intervals are supported.
legend	Logical. Should a legend be drawn?.
main	Main title of the plot. If null "Cluster i" is used.
...	Further arguments can be passed to matplot.

Author(s)

Theresa Scharl

Examples

```
data("hsod")
cl1 <- qtclust(hsod, radius=2, save.data=TRUE)

gcProfile(cl1, which=5)
gcProfile(cl1, which=5, xlabels=c(0,8,15,22,45,68,90,150,180),
          xlab="time after induction [min]",data.type="time")
```

gcSim

Create artificial cluster data

Description

Functionality to create artificial time course gene cluster data.

Usage

```
gcSim(sim=c("arima","norm","pattern","noise","outlier"), time=10,
      sd=0.1, sd.ri=0, size=50, n=10, ar=NULL, o=NULL, cent)

gcData(...)
```

Arguments

sim	simulation method used
time	number of time points
sd	standard deviation of the expression profiles
sd.ri	standard deviation of the random intercept or gene specific shift
size	cluster size, either one value for all clusters or a vector of cluster sizes of length n
n	number of clusters
ar	any value between -1 and 1
o	the degree of differencing
cent	a data matrix giving expression profiles in rows, only used if sim="pattern" or sim="outlier"
...	Several "gcSim" objects can be combined using function gcData.

Details

gcSim is a unifying function to call different data simulators.

arima generates expression patterns that come from an integrated AR-process with AR order 1 that can be controlled via ar and the degree of differencing o. sim="norm" and sim="noise" generate normally distributed expression patterns where sim="noise" is used to form a noise set of genes.

sim="pattern" and sim="outlier" can be used to generate clusters based on a set of cluster centers which are passed to the functions using the argument cent. sim="outlier" can be used to test Jackknife distance measures.

gcData can be used to combine different artificial data generators.

Value

a data matrix

Author(s)

Theresa Scharl

See Also

[pattern](#)

Examples

```
## generate 10 clusters with normally distributed expression patterns:
data <- gcSim(sim="norm", time=16, sd=0.1, sd.ri=0.5,
             size=50, n=10)
matplot(t(data), type="l", pch=1)

## combine expression patterns that follow an ARIMA process and a null cluster:
```

```
data <- gcData(gcSim(sim="arima", time=16, sd=0.1, sd.ri=0.5,
                    size=c(20,50,100,100), n=4),
              gcSim(sim="noise", time=16, size=100))
matplot(t(data), type="l")
```

gcTable

HTML table for cluster results

Description

Create HTML table for a single cluster of a "kccasimple" object.

Usage

```
## S4 method for signature 'kccasimple'
gcTable(object, which, links, file="gcTable", ...)
```

Arguments

object	an object of class "kccasimple"
which	Number of the cluster.
links	Vector of the same length as rows in the data with links to a database.
file	File name prefix used for HTML tables. Of the form file-which.html.
...	Further arguments can be passed to write.htmltable.

Author(s)

Theresa Scharl

See Also

[write.htmltable](#)

Examples

```
data("hsod")
cl1 <- qtclust(hsod, radius=2, save.data=TRUE)

gcTable(cl1, which=5, links = links_hsod, file = "hsod")
## Not run:
gcExplorer(cl1, theme = "blue", panel.function = gcTable,
           panel.args = list(links = links_hsod, file="hsod"),
           node.function = node.size)

## End(Not run)
```

Description

Plot or extract size, members or data of a functional group

Usage

```
## S4 method for signature 'data.frame'
go.details(object, mvalues, gn, id1, stats, links, gonr,
  source.id, source.group, details = c("size", "names", "id", "data"),
  ptype = c("matplot", "barplot"),
  table = TRUE, file = "go.details", plot = TRUE, cex1 = 0.8,
  xlab = "", xlabel = NULL, ylab = "M", ylim = c(-6,6), cex.axis = 1,
  main = NULL, data.type = c("time", "other"), legend = TRUE, ...)
```

Arguments

object	An object of class "data.frame".
mvalues	Vector giving the columns in object which correspond to the gene expression values.
gn	Column of object which corresponds to the gene names used for representation.
id1	Column of object which corresponds to the unique IDs of the same type as given in source.id.
links	Column of object which corresponds to links to database.
stats	Column(s) of object which correspond to statistics.
gonr	Unique identifier from source.group giving the group of genes to be extracted.
source.id	Vector of gene IDs assigned to functional groups given in source.group.
source.group	Vector of the same length as source.id.
details	The type of details to be extracted.
ptype	The type of plot, either a matplot or a barplot (only
table	Logical. Should an html table be created.
file	The file where the output of 'gotable' will be written.
plot	Logical. Should the genes be plotted.
cex1	Point size of the legend.
xlab	Label for the x-axis.
xlabels	Either a numeric vector of time points giving the positions on the x-axis or a character vector with names of the positions on the x-axis.
ylab	Label for the y-axis.
ylim	Range of the y-axis.

<code>cex.axis</code>	Point size of the axis.
<code>main</code>	The main title of the plot or html table. If null the name of the functional group is used.
<code>data.type</code>	The data type is either on a time scale (default) or something else ("other").
<code>legend</code>	Draw a legend?
<code>...</code>	Further arguments can be passed to <code>matplot</code> or <code>write.htmltable</code> .

Author(s)

Theresa Scharl

See Also[fitsod](#)**Examples**

```

data(fitsod)
data(gobp)

## Plot the functional group
go.details(fitsod, mvalues = 2:9, gn = 31, id = 33, links = 35, stats = 26,
           gonr = "flagellar", source.group = gobp[,3], source.id = gobp[,1],
           plot = TRUE)

## A file named "go.details.html" will be created in the current
## working directory.
go.details(fitsod, mvalues = 2:9, gn = 31, id = 33, links = 35, stats = 26,
           gonr = "flagellar", source.group = gobp[,3], source.id = gobp[,1],
           table = TRUE)

## Names of the genes in functional group "flagellar"
go.details(fitsod, mvalues = 2:9, gn = 31, id = 33, links = 35, stats = 26,
           gonr = "flagellar", source.group = gobp[,3], source.id = gobp[,1],
           details = "names")

## Gene expression values of the functional group
d1 <- go.details(fitsod, mvalues = 2:9, gn = 31, id = 33, links = 35, stats = 26,
                gonr = "flagellar", source.group = gobp[,3], source.id = gobp[,1],
                details = "data")
dim(d1)

```

gridnodes

Create Grid Viewports

Description

Creates grid viewports on node positions out of an object of class `Ragraph`.

Usage

```
gridnodes(node.function, graph, object, bgdata)
```

Arguments

node.function	Grid-based function, plotting nodes. To work correctly, the function will take four arguments: object is an object of class kcca. cluster is an integer giving the node/cluster number. bgdata is a data.frame of external data.
graph	Object of class Ragraph.
object	Object of class kcca (passed to node.function).
bgdata	data.frame. external data for node drawing. (passed to node.function).

Details

gridnodes creates viewports on node positions of a graph, defined by an object of class Ragraph, and calls the grid based functions.

Author(s)

Ingo Voglhuber

See Also

[symbolplot](#)

Group2Cluster

Find clusters to a group

Description

Find the cluster memberships for a group and create the vector of all cluster memberships where the grouped elements are assigned to.

Usage

```
Group2Cluster(object, gonr, source.group, source.id, id)
Random2Cluster(object, perc)
DefinedCluster(object, filt=0, numEdges=6, perc=1, noise=0)
```

Arguments

object	An object of class kccasimple
gonr	Unique identifier from source.group giving the group of genes to be extracted
source.group	Vector of functional groups where source.id are assigned to
source.id	Corresponding vector of identifiers to source.group

id	Vector of identifiers of the same length as rows in the clustered data of the same type as given in <code>source.id</code>
perc	For artificial assignment: the percentage of elements in a cluster that should be assigned to the group
filt	Edges above this threshold are taken into account
numEdges	Number of edges chosen where clusters are assigned similar amount of affected elements
noise	The percentage of noise that should be added (i.e., further assigned elements in different clusters)

Value

A vector of cluster memberships.

Author(s)

Theresa Scharl

See Also

`edge.test`

Examples

```
data("hsod")
data("gobp")
set.seed(1111)
c11 <- qtclust(hsod, radius = 2, save.data = TRUE)

g1 <- Group2Cluster(c11, gonr = "G0:0009061",
  source.group = gobp[,3], source.id=gobp[,1],
  id = bn_hsod)
table(g1)
```

jkdist

Further Distance and Centroid Computations

Description

Helper functions to create 'kccaFamily' objects.

Usage

```
distJackCor(x, centers)
distJackEuc(x, centers)
distJackMan(x, centers)
distJackMax(x, centers)
```

```
centSpline(d)
```

Arguments

x	A data matrix
d	A data matrix
centers	A matrix of centroids

Details

A possible problem using classical distance measures for clustering time-course gene expression data is that single outlier variables can completely change the expression pattern of certain genes. Outliers at special time points are very common in microarray experiments as technical problems like dust or a scratch on the slide can easily distort the data. In such a case these outlier variables can lead to unwanted correlations between genes and to incorrect assignment to clusters. There is a need for distance measures which are robust against outlier variables. The idea of Jackknife (Efron, 1982) distance measures is not to exclude the whole observation for such a gene but rather one or several variables. We want to introduce so-called "Jackknife" distance measures which can handle one outlier time point. The so-called Jackknife correlation was first used by Heyer et al. (1999) to cluster gene expression data. It is defined as

$$d_{xy} = 1 - \min(\rho_{xy}^{(1)}, \rho_{xy}^{(2)}, \dots, \rho_{xy}^{(T)})$$

where $\rho_{xy}^{(t)}$ is the correlation of pair x,y computed with the t-th time point deleted.

This concept can be extended for the three geometric distance measures Euclidean, Manhattan and Maximum distance. Jackknife Euclidean distance is defined as

$$d_{xy} = \min(d_{xy}^{(1)}, d_{xy}^{(2)}, \dots, d_{xy}^{(T)})$$

where $d_{xy}^{(t)}$ is the Euclidean distance of pair x,y computed with the t-th time point deleted. Jackknife Manhattan distance and Jackknife Maximum distance can be defined in the same way.

Author(s)

Theresa Scharl

References

Theresa Scharl and Friedrich Leisch: Jackknife distances for clustering time-course gene expression data, in JSM Proceedings 2006

node.tight

Node Methods for Neighborhood Graphs

Description

Several methods how to color nodes of a neighborhood graph.

Usage

```

## S4 method for signature 'kccasimple'
node.tight(object, theme, colscale)
## S4 method for signature 'kccasimple'
node.size(object, theme, colscale)
## S4 method for signature 'kccasimple'
node.go(object, theme, colscale, gonr, source.group, source.id, id)
## S4 method for signature 'kccasimple'
node.group(object, theme, colscale, group)
## S4 method for signature 'kccasimple'
legend.size(object, theme, colscale=NULL, pos="bottomleft")
## S4 method for signature 'kccasimple'
legend.tight(object, theme, colscale=NULL, pos="bottomleft")

```

Arguments

object	An object of class "kccasimple"
theme	A color theme, eg. theme="blue".
colscale	Range of luminescence lum of hcl colors, default is min to max.
gonr	Unique identifier from source.group giving the group of genes to be extracted.
source.id	Vector of gene IDs assigned to functional groups given in source.group.
source.group	Vector of the same length as source.id.
id	Vector of identifiers of the same length as rows in the clustered data of the same type as given in source.id.
group	Vector of integers giving the cluster membership of grouped genes.
pos	Position where the legend should be placed.

Details

Function `node.size` is used to highlight large clusters where the largest cluster will be assigned the darkest color.

Function `node.tight` is used to highlight tight clusters where the tightest cluster will be assigned the darkest color.

Function `node.go` is used to highlight clusters with accumulation of the functional group given by `gonr` where the highest proportion will be assigned the darkest color.

Function `node.group` is used to highlight clusters with accumulation of a functional group where the class membership are passed by argument `group`. Again the highest proportion will be assigned the darkest color.

Author(s)

Theresa Scharl and Ingo Voglhuber

See Also

[gcExplorer](#)

Examples

```
data("hsod")
set.seed(1111)
cl1 <- qtclust(hsod, radius = 2, save.data = TRUE)

gcExplorer(cl1, theme = "blue", node.function = node.size,
           legend.pos= "topleft")

gcExplorer(cl1, theme = "red", node.function = node.tight,
           legend.pos= "topleft")

data("gobp")
gcExplorer(cl1, theme = "green", node.function = node.go,
           node.args = list(gonr = "transport", source.group = gobp[,3],
                           source.id = gobp[,1], id = bn_hsod),
           legend.pos= "topleft")
```

oxygen

Preprocessed microarray oxygen deprivation data

Description

Normalized gene expression microarray data from Escherichia coli (E. coli).

Usage

```
data(oxygen)
```

Format

oxygen is a data matrix containing n=43 experiments of various mutants under oxygen deprivation (Covert et al., 2004). The mutants were designed to monitor the response from E. coli during an oxygen shift in order to target the a priori most relevant part of the transcriptional network by using six strains with knockouts of five key transcriptional regulators in the oxygen response (*arcA*, *appY*, *fnr*, *oxyR* and *soxS*). The data was obtained by downloading the corresponding CEL files from the Gene Expression Omnibus (<http://www.ncbi.nlm.nih.gov/geo>) under accession GDS680 and then normalized using the `rma()` function from the `affy` package. Following the steps described in (Castelo and Roverato, 2008) probesets were mapped to Entrez Gene Identifiers and filtered such that the ExpressionSet in the `qpgraph` package names `EcoliOxygen` contains a total of p=4205 genes. Here a subset of the `EcoliOxygen` data was used containing all genes where Blattner numbers were available.

Note

This dataset was taken from Bioconductor package `qpgraph` and modified

Source

Covert, M.W., Knight, E.M., Reed, J.L., Herrgard, M.J., and Palsson, B.O. Integrating high-throughput and computational data elucidates bacterial networks. *Nature*, 429(6987):92-96, 2004.

Gama-Castro, S., Jimenez-Jacinto, V., Peralta-Gil, M., Santos-Zavaleta, A., Penaloza-Spinola, M.I., Contreras-Moreira, B., Segura-Salazar, J., Muniz-Rascado, L., Martinez-Flores, I., Salgado, H., Bonavides-Martinez, C., Abreu-Goodger, C., Rodriguez-Penagos, C., Miranda-Rios, J., Morett, E., Merino, E., Huerta, A.M., Trevino-Quintanilla, L., and Collado-Vides, J. RegulonDB (version 6.0): gene regulation model of Escherichia coli K-12 beyond transcription, active (experimental) annotated promoters and Textpresso navigation. *Nucleic Acids Res.*, 36(Database issue):D120-124, 2008.

Castelo, R. and Roverato, A. Reverse engineering molecular regulatory networks from microarray data with qp-graphs. *J. Comp. Biol.*, 16(2):213-227, 2009.

Examples

```
data(oxygen)
```

```
pattern
```

```
Expression pattern
```

Description

Expression patterns that can be used to generate artificial gene expression data.

Usage

```
pattern(time = 8, v = 5)
```

Arguments

time	number of time points
v	absolute value of maximum gene expression

Value

a data matrix

Author(s)

Theresa Scharl

See Also

[gcSim](#)

Examples

```
cent <- pattern(time=15)
data <- gcSim(sim="pattern", cent=cent)
matplot(t(data), type="l")
```

ps19

E. coli Fermentation Data

Description

E. coli Fermentation Data - Transcription profiling of E. coli HMS174(DE3)(pET30aNproGFPmut3.1)
- cellular response to limited induction with IPTG

Usage

```
data(ps19)
```

Format

A data frame with 918 observations on the following 10 variables.

- 10 Estimated coefficient for a particular gene for the contrast of the sample 10 hours past induction to the sample before induction
- 12 Estimated coefficient for a particular gene for the contrast of the sample 12 hours past induction to the sample before induction
- 14 Estimated coefficient for a particular gene for the contrast of the sample 14 hours past induction to the sample before induction
- 16 Estimated coefficient for a particular gene for the contrast of the sample 16 hours past induction to the sample before induction
- 18 Estimated coefficient for a particular gene for the contrast of the sample 18 hours past induction to the sample before induction
- 20 Estimated coefficient for a particular gene for the contrast of the sample 20 hours past induction to the sample before induction
- 22 Estimated coefficient for a particular gene for the contrast of the sample 22 hours past induction to the sample before induction
- 24 Estimated coefficient for a particular gene for the contrast of the sample 24 hours past induction to the sample before induction
- 26 Estimated coefficient for a particular gene for the contrast of the sample 26 hours past induction to the sample before induction
- 28 Estimated coefficient for a particular gene for the contrast of the sample 28 hours past induction to the sample before induction

Source

Two experiments (including all processing protocols) have been loaded into ArrayExpress (<http://www.ebi.ac.uk/microarray-as/ae/>). The ArrayExpress accession number of the array design is A-MARS-10. The experiment with fully induced *E. coli* expression system (ps19) has accession number E-MARS-16 and the experiment with partially induced system (ps17) has accession number E-MARS-17.

References

T. Scharl, G. Striedner, F. Poetschacher, F. Leisch and K. Bayer: Interactive visualization of clusters in microarray data: an efficient tool for improved metabolic analysis of *E. coli*. *Microbial Cell Factories*, 8:37, 2009.

Examples

```
data(ps19)
```

sigma

E. coli Sigma Factors and Global Regulators

Description

The *E. coli* sigma factors and the genes they regulate.

Usage

```
data(sigma)
```

Format

A data frame with 1851 observations on the following 6 variables.

SigmaFactor a factor with levels Sigma19 Sigma24 Sigma28 Sigma32 Sigma38 Sigma54 Sigma70

SigmaGene a factor with levels fecI fliA rpoD rpoDS rpoE rpoH rpoN rpoS

RegulatedGeneName The genename of the regulated genes.

RegulatedGenebnumber The Blattner numbers of the regulated genes.

function a factor with levels +

GeneType a factor with levels Phantom Gene Pseudo Gene

Source

<http://regulondb.ccg.unam.mx/LicenseRegulonDBd.jsp>

References

Salgado H, Gama-Castro S, Peralta-Gil M, Diaz-Peredo E, Sanchez-Solano F, Santos-Zavaleta A, Martinez-Flores I, Jimenez-Jacinto V, Bonavides-Martinez C, Segura-Salazar J, Martinez-Antonio A, Collado-Vides J. RegulonDB (version 5.0): Escherichia coli K-12 transcriptional regulatory network, operon organization, and growth conditions Nucleic Acids Res. 2006 Jan 1;34(Database issue):D394-7

Examples

```
data(sigma)
data(reg)
```

symbolplot

symbolplot

Description

Visualization of flexclust (kcca-)based cluster solutions.

Usage

```
## S4 method for signature 'kcca'
symbolplot(x = NULL, y = NULL,
           node.data = NULL, node.function = NodeIsCircle,
           edge.data = NULL, edge.function = EdgeIsLineWidth,
           filt = 0.1, xlim = NULL, ylim = NULL, asize = NULL,
           rsize = NULL, axes = FALSE,
           keepAspectRatio = TRUE, add=FALSE, ...)
```

Arguments

x	either the x coordinates for the graph's nodes, a nx2 matrix with the coordinates for all the nodes of the graph or an object of class kcca
y	if x is a vector a vector y must be specified, giving the y coordinates for the nodes.
node.data	data frame. external data for node drawing. (passed to node.function).
node.function	Grid-based function for node plotting. To work correctly, the function will take at least 2 arguments: cluster is an integer giving the node/cluster number. bgdata is a data.frame of external data. if argument x is an object of class kcca: object is an object of class kcca.
edge.data	is a nxn matrix. If the element at (i,j) is 0 no edge is drawn between node i and node j.
edge.function	Grid-based function for plotting edges. Choose EdgeIsLine for simple lines, EdgeIsLineWidth for visualizing edge weights, or give user-defined function.

<code>filt</code>	Filt out edges with <code>weight >= filt</code>
<code>xlim</code>	the range to be encompassed by the x axis (vector of length two)
<code>ylim</code>	the range to be encompassed by the y axis (vector of length two)
<code>asize</code>	sets the size of the nodes' viewports absolutely. If <code>asize</code> is a vector (x,y) of length two, all viewports are x wide and y high. If <code>asize</code> is a nx2 matrix, every row gives the size for the corresponding node's viewport. If not given, a "good solution" is computed, where the viewports are squares as big as possible. See also argument <code>rsize</code> .
<code>rsize</code>	this argument is a vector of length n, giving a scale factor for every viewport's size. The i-th element scales the i-th viewport.
<code>axes</code>	if TRUE, axes are drawn
<code>keepAspectRatio</code>	logical. If TRUE <code>xscale</code> and <code>yscale</code> is set equal to keep aspect ratio of nodes.
<code>add</code>	Should the symbolplot be added to another plot?
<code>...</code>	is passed to <code>node.function</code>

Author(s)

Original code by Simon Floery. Modified by Ingo Voglhuber.

Examples

```
## Not run:
## R package symbols is available from Rforge:
## http://r-forge.r-project.org/projects/gsymbols/

require(gsymbols)

## create object of class kcca
set.seed(1234)
cl <- kcca(USJudgeRatings, k = 5, save.data=TRUE)

# plot simple rectangles as nodes
testplot1 <- function (object, cluster, bgdata, ...) {
  grid.rect()
}
symbolplot(cl,node.function=testplot1)

## plot simple circles as nodes
testplot2 <- function (object, cluster, bgdata, ...) {
  grid.circle()
}
symbolplot(cl,node.function=testplot2)

## spiderplots as nodes
gspiderplot1 <- function (object, cluster, bgdata, ...) {
  index <- (object@cluster == cluster)
  nodedata <- object@data@get("designMatrix")[index,]
  gstars(nodedata,radius=FALSE,locations="spider",
```

```

        draw.labels=FALSE)
    }
    symbolplot(cl,node.function=gspiderplot1)

    gspiderplot2 <- function (object, cluster, bgdata, ...) {
      index <- (object@cluster == cluster)
      nodedata <- object@data@get("designMatrix")[index,]
      gstars(nodedata,radius=FALSE,locations="spider",
             quantile=TRUE,draw.labels=FALSE)
    }
    symbolplot(cl,node.function=gspiderplot2)

    gspiderplot3 <- function (object, cluster, bgdata, ...) {
      index <- (object@cluster == cluster)
      nodedata <- object@data@get("designMatrix")[index,]
      gstars(nodedata,radius=FALSE,locations="spider",
             quantile=TRUE,draw.labels=TRUE)
    }

    symbolplot(cl,node.function=gspiderplot3)

    ## barplots as nodes
    gbarplot1 <- function (object, cluster, bgdata, ...) {
      index <- (object@cluster == cluster)
      nodedata <- object@data@get("designMatrix")[index,]
      gbarplot(t(as.matrix(mean(as.data.frame(nodedata))))))
    }
    symbolplot(cl,node.function=gbarplot1)

    ## thermometer plots as nodes
    gthermometers1 <- function (object, cluster, bgdata, ...) {
      index <- (object@cluster == cluster)
      nodedata <- object@data@get("designMatrix")[index,]
      x <- 1
      y <- 1
      z <- cbind(1,1,mean(nodedata[,1])/max(USJudgeRatings[,1]))
      gsymbols(x,y,thermometers=z)
    }
    symbolplot(cl,node.function=gthermometers1)

    ## End(Not run)

```

write.htmltable

Write a data frame into an html table within a html page

Description

Write a "data.frame" into an html table within a html page

Usage

```
write.htmltable(x, filename, title="", sortby=NULL, decreasing=TRUE,
  open="wt", formatNumeric=function(x) paste(signif(x, 3)))
```

Arguments

x	data.frame.
filename	character. File name.
title	character. Title of html page.
sortby	character. Name of column by which to sort the table rows.
decreasing	logical. Should the sort order be increasing or decreasing?
open	character. This argument is passed on to <code>file</code> .
formatNumeric	function that takes a numeric and returns a character. This function is called for all numeric values in the table.

Details

This function is taken from package `arrayMagic`.

Value

The function is called for its side effect: writing a file.

Author(s)

Wolfgang Huber <http://www.dkfz.de/mga/whuber>

Examples

```
out = tempfile()

n = 10
ex = data.frame(genename=paste("Gene", 1:n, sep=""), score=
  signif(16*runif(n)), database=paste("http://super.data.base/?id",
  round(1e9*runif(n)), sep=""))

write.htmltable(ex, out, "Hi there", sortby="score")

cat("Now have a look at ", out, ".html\n", sep="")
```

Index

- *Topic **IO**
 - write.htmltable, 28
- *Topic **cluster**
 - gcSim, 13
 - jkdist, 19
 - pattern, 23
- *Topic **datasets**
 - fitsod, 5
 - oxygen, 22
 - ps19, 24
 - sigma, 25
- *Topic **dplot**
 - gridnodes, 17
- *Topic **hplot**
 - clusterPlot, 2
 - gcExplorer, 7
 - gcModify, 9
 - gcOffline, 11
 - gcProfile, 12
 - go.details, 16
 - symbolplot, 26
- *Topic **htest**
 - comp_test, 3
 - edgeTest, 4
- *Topic **methods**
 - clusterPlot, 2
 - gcExplorer, 7
 - gcModify, 9
 - gcOffline, 11
 - gcProfile, 12
 - gcTable, 15
 - go.details, 16
 - Group2Cluster, 18
 - node.tight, 20
 - symbolplot, 26
- bn_hsd (fitsod), 5
- bn_oxy (oxygen), 22
- bn_ps19 (ps19), 24
- calcHCL (gcExplorer), 7
- centSpline (jkdist), 19
- clusterPlot, 2
- clusterPlot,kccasimple-method (clusterPlot), 2
- comp17 (ps19), 24
- comp19 (ps19), 24
- comp_diff (edgeTest), 4
- comp_dist (comp_test), 3
- comp_perm (comp_test), 3
- comp_test, 3
- DefinedCluster (Group2Cluster), 18
- distJackCor (jkdist), 19
- distJackEuc (jkdist), 19
- distJackMan (jkdist), 19
- distJackMax (jkdist), 19
- edgeTest, 4
- f (ps19), 24
- file, 29
- fitsod, 5, 17
- gcData (gcSim), 13
- gcExplorer, 7, 10, 21
- gcExplorer,kccasimple-method (gcExplorer), 7
- gcModify, 9
- gcModify,graphdata-method (gcModify), 9
- gcOffline, 11
- gcOffline,kccasimple-method (gcOffline), 11
- gcProfile, 12, 12
- gcProfile,kccasimple-method (gcProfile), 12
- gcSim, 13, 23
- gcTable, 12, 15
- gcTable,kccasimple-method (gcTable), 15
- go.details, 16

go.details, data.frame-method
 (go.details), 16

gobp (fitsod), 5

graphdata-class (gcExplorer), 7

gridnodes, 17

Group2Cluster, 18

hsod (fitsod), 5

jkdist, 19

legend.size (node.tight), 20

legend.size, kccasimple-method
 (node.tight), 20

legend.tight (node.tight), 20

legend.tight, kccasimple-method
 (node.tight), 20

links_hsod (fitsod), 5

links_ps19 (ps19), 24

newclsim (edgeTest), 4

node.go (node.tight), 20

node.go, kccasimple-method (node.tight),
 20

node.group (node.tight), 20

node.group, kccasimple-method
 (node.tight), 20

node.size (node.tight), 20

node.size, kccasimple-method
 (node.tight), 20

node.tight, 9, 20

node.tight, kccasimple-method
 (node.tight), 20

oxygen, 22

pattern, 14, 23

plotclust (symbolplot), 26

ps19, 24

pvalFromPermMat (comp_test), 3

Random2Cluster (Group2Cluster), 18

reg (sigma), 25

sigma, 25

symbolplot, 18, 26

symbolplot, kcca, missing-method
 (symbolplot), 26

symbolplot, kcca-method (symbolplot), 26

symbolplot, matrix, missing-method
 (symbolplot), 26

symbolplot, numeric, numeric-method
 (symbolplot), 26

write.htmltable, 15, 28